



Columbia University

*Department of Economics
Discussion Paper Series*

Linear-Quadratic Approximation of Optimal
Policy Problems

*Pierpaolo Benigno
Michael Woodford*

Discussion Paper No.: 0607-02

*Department of Economics
Columbia University
New York, NY 10027*

September 2006

Linear-Quadratic Approximation of Optimal Policy Problems*

Pierpaolo Benigno Michael Woodford
New York University Columbia University

Revised draft: September 22, 2006

Abstract

We consider a general class of nonlinear optimal policy problems involving forward-looking constraints (such as the Euler equations that are typically present as structural equations in DSGE models), and show that it is possible, under regularity conditions that are straightforward to check, to derive a problem with linear constraints and a quadratic objective that approximates the exact problem. The LQ approximate problem is computationally simple to solve, even in the case of moderately large state spaces and flexibly parameterized disturbance processes, and its solution represents a local linear approximation to the optimal policy for the exact model in the case that stochastic disturbances are small enough. We derive the second-order conditions that must be satisfied in order for the LQ problem to have a solution, and show that these are stronger, in general, than those required for LQ problems without forward-looking constraints. We also show how the same linear approximations to the model structural equations and quadratic approximation to the exact welfare measure can be used to correctly rank alternative simple policy rules, again in the case of small enough shocks.

*An earlier version of this paper was presented as a Plenary Lecture at the 10th Annual Conference on Computing in Economics and Finance, Amsterdam, July 2004. We would like to thank Filippo Altissimo, Vasco Curdia, Ken Judd, Jinill Kim, Andy Levin, and Diego Rodriguez Palenzuela for comments, and the National Science Foundation for research support through a grant to the NBER.

Linear-quadratic (LQ) optimal-control problems have been the subject of an extensive literature.¹ General characterizations of their solutions and useful numerical algorithms to compute them are now available, allowing models with fairly large state spaces, complicated dynamic linkages, and a range of alternative informational assumptions to be handled.² And the extension of the classic results of the engineering control literature to the case of forward-looking systems of the kind that naturally arise in economic policy problems when one allows for rational expectations on the part of the private sector has proven to be fairly straightforward.³

An important question, however, is whether optimal policy problems of economic interest should take this convenient form. It is easy enough to apply LQ methodology if one specifies an *ad hoc* quadratic loss function on the basis of informal consideration of the kinds of instability in the economy that one would like to reduce, and posits linear structural relations that capture certain features of economic time series without requiring these relations to have explicit choice-theoretic foundations, as in early applications to problems of monetary policy.⁴ But it is highly unlikely that the analysis of optimal policy in a DSGE model will involve either an exactly quadratic utility function or exactly linear constraints.

We shall nonetheless argue that LQ problems can usefully be employed as approximations to exact optimal policy problems in a fairly broad range of cases. Since an LQ problem necessarily leads to an optimal decision rule that is linear, the most that one could hope to obtain with any generality would be for the solution to the LQ problem to represent a *local linear approximation* to the actual optimal policy — that is, a first-order Taylor approximation to the true, nonlinear optimal policy rule. In this paper we present conditions under which this will be the case, and show how to derive an LQ approximate problem corresponding to any member of a general class of optimal policy problems.

The conditions under which the solution to an LQ approximate problem will yield a correct local linear approximation to optimal policy are in fact more restrictive than might be expected, and than some of the literature on numerical methods for

¹Important references include Bertsekas (1976), Chow (1975), Hansen and Sargent (2004), Kendrick (1981), Kwakernaak and Sivan (1972), and Sargent (1987). See Kendrick (2005) for an overview of the use of LQ methods in economics.

²For numerical algorithms see, among others, Amman and Kendrick (1999), Gerali and Lippi (2005), Hansen and Sargent (2004), and Söderlind (1999).

³See, e.g., Backus and Driffill (1986) for a useful review.

⁴Notable examples include Kalchbrenner and Tinsley (1975) and Leroy and Waud (1977).

the analysis of DSGE models has suggested.⁵ In particular, it does *not* suffice that the objective and constraints of the exact problem be continuously differentiable a sufficient number of times, that the solution to the LQ approximate problem imply a stationary evolution of the endogenous variables, and that the exogenous disturbances be small enough (though each of these conditions is obviously *necessary*, except in highly special cases). An approach that simply computes a second-order Taylor-series approximation to the utility function and a first-order Taylor-series approximation to the model structural relations in order to define an approximate LQ problem — what we shall call “naive LQ approximation” — may yield a linear policy rule with coefficients very different from those of a correct linear approximation to the optimal policy in the case of small enough disturbances, as the example of optimal dynamic tax policy considered in Benigno and Woodford (2006) shows.⁶

Nonetheless, it is quite generally possible to construct an alternative quadratic objective function — one that also represents a correct local second-order approximation to expected utility under any feasible policy, but that does not imply the same linear characterization of optimal policy when used as the objective for an LQ problem — which *will* result in a correct local LQ approximation. The approach that we use is essentially the one introduced by Fleming (1971), and used by Magill (1977) to derive a local LQ approximation to a continuous-time multi-sector optimal growth model. Here we extend the work of Fleming and Magill by showing how a similar method can be used in the context of discrete-time dynamic optimization problems of the kind that typically arise in the literatures on optimal monetary and fiscal policy, and showing how the method can be extended to the case where some of the structural relations are forward-looking, as is almost inevitably the case in optimal policy problems.⁷

In section 1, we first explain the problem with naive LQ approximation in the context of a simple static optimization problem, and introduce the general idea of our alternative approach. We offer additional comparisons there of the approach that we propose to other possible approaches to the local characterization of optimal pol-

⁵This is stressed by Judd (1999, pp. 507-508), who recommends the use of alternative perturbation techniques for the local characterization of optimal policy.

⁶The same problem can also result in incorrect welfare rankings of alternative simple policies, as discussed by Kim and Kim (2003, 2006).

⁷See also Levine *et al.* (2006) for another discussion of how our method compares to that of Fleming and Magill.

icy. In section 2, we then show how the method can be applied to a general class of dynamic optimization problems with forward-looking constraints. Section 3 discusses the general algebraic form of the first- and second-order conditions for optimality in the LQ approximate problem. Section 4 shows how the quadratic objective for stabilization policy derived in section 2 can also be used to compute welfare comparisons between alternative sub-optimal policies, in the case that the stochastic disturbances are small enough. Finally, section 5 discusses applications of the general method described here and concludes.

1 Pitfalls of Naive LQ Approximation

Here we explain why naive LQ approximation is generally inadequate, in the context of a simple static optimization problem that allows us to explain the issues in terms of simple multivariate calculus. We then compare a variety of possible responses to the problem, including the one that we favor.

1.1 Static Analysis

Suppose that we wish to find the policy $y(\xi)$ that maximizes an objective $U(y; \xi)$, where y is an n -vector of endogenous variables and ξ is a vector of exogenous disturbances; we assume that U is at least twice continuously differentiable with respect to the arguments y . Suppose furthermore that the possible outcomes y that can be achieved by policy in any state of the world ξ are those values consistent with the structural equations

$$F(y; \xi) = 0, \tag{1.1}$$

where F is a vector of m functions (for some $m < n$), again each at least twice continuously differentiable. We assume that $m < n$ so that there is at least one direction in which it is possible for the outcome y to be varied by policy. We might suppose that y is determined by equations (1.1) together with an additional set of $n - m$ equations of the form

$$G(y; i, \xi) = 0, \tag{1.2}$$

where i is a vector of $n - m$ instrument settings (or control variables); but the nature of the additional equations (1.2) does not matter for our conclusions below, as long

as the derivative matrices

$$\begin{bmatrix} D_y F \\ D_y G \end{bmatrix}, \quad D_i G$$

are of full rank when the partial derivatives are evaluated at the point around which we conduct our local analysis.

Now let \bar{y} be the outcome under an optimal policy in the case that $\xi = 0$; that is, it maximizes $U(y; 0)$ subject to the constraints $F(y; 0) = 0$.⁸ A second-order Taylor series expansion of U , computed at values $(\bar{y}; 0)$ of the arguments, is then given by

$$\begin{aligned} U(y; \xi) &= \bar{U} + D_y U \cdot \tilde{y} + D_\xi U \cdot \xi + \frac{1}{2} \tilde{y}' D_{yy}^2 U \cdot \tilde{y} + \\ &\quad \frac{1}{2} \xi' D_{\xi\xi}^2 U \cdot \xi + \tilde{y}' D_{y\xi}^2 U \cdot \xi + \mathcal{O}(\|\xi\|^3) \\ &= D_y U \cdot \tilde{y} + \frac{1}{2} \tilde{y}' D_{yy}^2 U \cdot \tilde{y} + \tilde{y}' D_{y\xi}^2 U \cdot \xi + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3), \end{aligned} \quad (1.3)$$

where we introduce the notation $\tilde{y} \equiv y - \bar{y}$, $\bar{U} \equiv U(\bar{y}; 0)$, and the several matrices of partial derivatives are each evaluated at $(\bar{y}; 0)$. The expression “t.i.p.” refers to terms that are independent of the policy chosen (such as the constant term and terms that depend only on the exogenous disturbances); the form of these terms is irrelevant in obtaining a correct ranking of alternative policies. Finally, $\|\xi\|$ is a bound on the vector of disturbances ξ . In stating that the residual is of order $\mathcal{O}(\|\xi\|^3)$ in the amplitude of the disturbances, we assume that $y - \bar{y} = \mathcal{O}(\|\xi\|)$. This condition will hold, in the case of any policy that makes $y(\xi)$ continuously differentiable,⁹ as long as $y(0) = \bar{y}$. We shall restrict our analysis to policies that satisfy the latter property, *i.e.*, that bring about \bar{y} in the case that there are no disturbances.¹⁰

A naive LQ approximation of this problem can then be obtained by replacing the exact objective $U(y; \xi)$ by the quadratic objective

$$U^Q(y; \xi) \equiv D_y U \cdot \tilde{y} + \frac{1}{2} \tilde{y}' D_{yy}^2 U \cdot \tilde{y} + \tilde{y}' D_{y\xi}^2 U \cdot \xi, \quad (1.4)$$

⁸Note that we must compute our local approximations to the objective and constraints around this optimal point if there is to be any hope that consideration of these local approximations alone can correctly identify the optimal policy rule even in the case that ξ is small.

⁹In the case that $y(\xi)$ is determined by a vector of instrument settings through structural relations of the form (1.2), $y(\xi)$ will be continuously differentiable near $\xi = 0$ as long as the rank conditions stated in the previous paragraph are satisfied, and the policy rule $i(\xi)$ is itself continuously differentiable.

¹⁰Note that by assumption, the optimal policy rule belongs to this class of rules.

and replacing the exact constraints (1.1) by their linearized form,

$$D_y F \cdot \tilde{y} + D_\xi F \cdot \xi = 0. \quad (1.5)$$

The question that we wish to consider is whether the solution to this problem — that is, the policy $y^{LQ}(\xi)$ that maximizes $U^Q(y; \xi)$ subject to the constraints (1.5) — represents at least a correct local linear approximation to the true optimal policy $y^{opt}(\xi)$. That is, we wish to determine whether

$$y^{opt}(\xi) = y^{LQ}(\xi) + \mathcal{O}(\|\xi\|^2) \quad (1.6)$$

in the case of small enough disturbances.

In fact, the regularity conditions stated thus far do not suffice to guarantee this. The policy that maximizes the naive quadratic objective (1.4) subject to the linearized constraints (1.5) satisfies linear first-order conditions

$$D_y U + \tilde{y}' D_{yy}^2 U + \xi' D_{\xi y}^2 U + \lambda' D_y F = 0, \quad (1.7)$$

where λ (a function of ξ) is the vector of Lagrange multipliers associated with the constraints. The naive LQ-optimal policy $y^{LQ}(\xi)$ is then obtained by solving the system of equations consisting of (1.5) and (1.7) for y and λ as linear functions of ξ .

The solution $y^{opt}(xi)$ to the exact policy problem instead satisfies the nonlinear first-order conditions¹¹

$$D_y U(y; \xi) + \lambda' D_y F(y; \xi) = 0 \quad (1.8)$$

along with (1.1). A correct local approximation to the solution to these equations can be obtained (using the implicit function theorem) by linearizing equations (1.1) and (1.8) around the unperturbed solution $y(0) = \bar{y}$. The linearization of equations (1.1) is given by (1.5), as above, but the linearization of the first-order conditions (1.8) is given by

$$D_y U + \tilde{y}' D_{yy}^2 U + \xi' D_{\xi y}^2 U + \lambda' D_y F + \bar{\lambda}'_I [\tilde{y}' D_{yy}^2 F^I + \xi' D_{\xi y}^2 F^I] = 0, \quad (1.9)$$

where $\bar{\lambda} \equiv \lambda(0)$ is the vector of multipliers when there are no shocks. Here we use tensor notation as in Judd (1999, chap. 14), omitting the summation sign Σ_I ; the

¹¹Here we assume that the solution to the first-order conditions is indeed the optimum, though this need not be true if the constraint set is non-convex.

index I ranges over the m constraints. Hence the correct linear approximation to $y^{opt}(\xi)$ is obtained by solving the system of equations consisting of (1.5) and (1.9) for y and λ as linear functions of ξ . Because the two final terms on the left-hand side of (1.9) are missing in (1.7), the naive method will generally yield incorrect coefficients for the linear policy rule.

The problem is that a linear approximation of the structural equations (1.5) suffices to indicate the possible ways in which it is possible for y to vary in response to ξ , *to first order* in the amplitude of the disturbances ξ , but this is not generally a sufficiently accurate characterization of outcomes under a given policy to allow an approximate evaluation of the objective U that is accurate to *second* order. In general, second-order contributions to the solution for $y(\xi)$ under a given policy rule make second-order contributions to the level of U associated with that rule; and even when $\|\xi\|$ is arbitrarily small, these second-order contributions to U need not be negligible relative to the other second-order contributions that are taken account of when one evaluates U^Q using a local linear approximation to $y(\xi)$.¹²

In fact, in the case of any given outcome $y(\xi)$ associated with a (sufficiently differentiable) policy, a second-order Taylor series expansion of $U(y(\xi); \xi)$ can be written in the form

$$U(y(\xi); \xi) = U^Q(y^L(\xi); \xi) + D_j U[\xi^i D_{\xi\xi}^2 y^j \cdot \xi] + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3), \quad (1.10)$$

where U^Q is again the naive quadratic objective defined in (1.4),

$$y^L(\xi) \equiv \bar{y} + D_{\xi} y \cdot \xi$$

is a local linear approximation to $y(\xi)$, and in the second term on the right-hand side, we again use tensor notation. Here we have simplified using the fact that the derivatives $D_{\xi} y$ must satisfy

$$D_y F \cdot D_{\xi} y + D_{\xi} F = 0,$$

in order for y^L to represent a solution to the linearized structural relations (1.5). Estimation of the level of welfare associated with the given policy using $U^Q(y^L)$ omits the second-order contributions from the second term on the right-hand side of (1.10). These are second-order contributions to U resulting from second-order terms

¹²See Woodford (2002; 2003, sec. 6.1) and Sutherland (2002) for further discussion.

in the Taylor expansion of $y(\xi)$, that exist to the extent that the gradient vector $D_y U$ has non-zero elements. When these additional terms are non-zero, alternative policies cannot be correctly ranked, even to second order in the amplitude of the disturbances, simply on the basis of a local linear characterization of equilibrium outcomes under those policies.

1.2 Responses to the Problem

Several approaches have been taken in the literature to computing a correct local linear approximation to optimal policy, that (at least under certain circumstances) avoid the problem just expounded with a naive LQ approximation. We briefly discuss some of these before presenting our own proposed solution.

(1) The naive LQ approach yields a correct local characterization of optimal policy in the case that the constraints (1.1) are *exactly linear*. If they are, the use of the linearized equations (1.5) involves no error, and the problem discussed above does not arise. In the case of our static example above, linear constraints imply that

$$D_{yy}^2 F^I, D_{\xi y}^2 F^I = 0$$

for each I , so that equations (1.9) are equivalent to (1.7). Thus the problem with naive LQ approximation is not that the objective functions in optimal policy problems are not exactly quadratic, but rather that the constraints are almost never exactly linear.

Even in the case of a policy problem with nonlinear constraints, it may be possible to obtain a problem with purely linear constraints through a suitable change of variables. This is the approach used in Kydland and Prescott (1982) to obtain a valid LQ approximation. The (nonlinear) production function is substituted into the utility function to express utility as a function of the paths of hours, capital, and investment spending; the only remaining constraint is the exactly linear relation between investment spending and the dynamics of the capital stock. After this transformation of their planning problem, a second-order Taylor series expansion of the derived objective function yields an LQ planning problem, the solution to which is a correct linear approximation to the solution to the original planning problem. However, the circumstances under which a transformation of this kind can be found are fairly special.¹³

(2) The naive LQ approach also yields a correct local characterization of optimal policy in the case that one expands around a point \bar{y} at which the gradient vector $D_y U(\bar{y}; 0) = 0$. In this case the second term on the right-hand side of (1.10) is equal to zero under any policy, and $U^Q(y^L)$ correctly ranks alternative policies, to second order. Similarly, since in this case the constraints (1.1) do not bind in the absence of shocks, $\bar{\lambda} = 0$, and again conditions (1.9) reduce to (1.7). This is why an LQ approximation can be used to characterize optimal policy in the model of Rotemberg and Woodford (1997).¹⁴

In some cases, an appropriate change of variables may result in this condition holding. In the case of Rotemberg and Woodford, the gradient vector would be non-zero if one were to expand in terms of consumption and hours, the “direct” arguments of the utility function. But they use the (nonlinear) production function to solve for hours of each variety as a function of sectoral output, and the market-clearing relation to solve for consumption of each differentiated good as a function of output, obtaining an expression for utility as a function of the quantities produced of the various goods; and the gradient with respect to each of these quantities is zero, in the case that they consider. But even with the change of variables, the method is applicable only if the flexible-price equilibrium allocation of resources is efficient, which need not be the case, owing for example to market power or tax distortions (Benigno and Woodford, 2005a). This last observation is itself an important practical limitation, and in more complex examples it may not be easy to find a suitable change of variables.

(3) A correct local linear approximation to optimal policy can often be obtained by deriving the exact first-order conditions for (Ramsey) optimal policy using exact specifications of the objective and constraints, and then log-linearizing the non-linear stochastic difference equations obtained in this way, as illustrated in the derivation of equations (1.9) above. This method has been used extensively in the recent literature on optimal monetary and fiscal policy by authors such as King and Wolman (1999), Khan *et al.* (2003) and Schmitt-Grohé and Uribe (2004b). The method will generally yield a correct result as long as the optimal equilibrium, in the case of small enough

¹³Kydland and Prescott’s “time-to-build” approach to modelling capital adjustment costs is necessary in order for the constraint to be exactly linear in their case, and hence important for the validity of the numerical method that they use to characterize equilibrium dynamics, though they do not comment on this. Standard convex adjustment costs, for example, would result in a nonlinear constraint.

¹⁴The conditions for the validity of this approach are further discussed in Woodford (2002).

exogenous shocks, remains forever near a deterministic steady state, around which first-order conditions are log-linearized.¹⁵ It is also straightforward to obtain higher-order local characterizations of optimal policy, through a higher-order perturbation expansion of the first-order conditions.

A disadvantage of this approach, however, is that while it allows a solution for optimal policy, it does not provide a convenient way of ranking sub-optimal policies. An LQ approximation, if valid (as in either of the two cases just described), also provides a simple way of evaluating arbitrary policies, as long as they are not *too far* from optimal: one obtains an approximate characterization of the outcome under the policy by solving the linearized model equations (constraints), and then evaluates the quadratic loss function under the resulting linear dynamics. (The method should correctly rank policies, in the case of small enough shocks, as long as they are consistent with the steady state around which the local approximations are computed – or more generally, as long as they are *close enough* to consistency with it.) This is important, insofar as in models of a complexity that would allow them to be used in quantitative policy analysis, the fully optimal (Ramsey) policy is almost certainly too complex to represent a practical policy proposal, and the welfare losses associated with a simpler policy may be quite small. The comparative evaluation of simple policy rules, within families of rules too restrictive to include the optimal policy, is accordingly a prime goal of quantitative analyses of stabilization policy.

Another disadvantage is that solution of a local linear approximation to the first-order conditions does not guarantee that the solution is even locally an (approximate) optimum, as second-order conditions for the optimal policy problem may fail, as discussed further below in section 3, and in the context of a specific example in Benigno and Woodford (2005a). In the case of a valid LQ approximation, this issue is automatically settled (*i.e.*, a *local* optimum is guaranteed) if the quadratic loss function is convex, which requires only that one check an algebraic property of the weighting matrix.¹⁶

¹⁵In general, the equilibrium resulting from the optimal Ramsey policy is time-invariant, even in the absence of stochastic disturbances, only if one adds certain constraints on initial outcomes to the standard, “unconstrained” Ramsey problem. These are discussed further in section 2.1 below. This issue must be confronted by any local approximation method that characterizes optimal policy using linear equations with constant coefficients.

¹⁶Of course, one could check the second-order conditions for an optimum as part of the perturbation analysis of the exact Ramsey problem; but this seems seldom to be done in the literature

(4) Alternatively, the problem noted above would be eliminated if we evaluate (1.3) using a *second-order* approximation to the equilibrium evolution $y(\xi)$ under any given policy rule, rather than a mere linear (or log-linear approximation). A second-order approximation to $y(\xi)$ can be computed by applying perturbation techniques to the system of equations consisting of (1.1) and (1.2), where the latter equation(s) specify the policy that is to be evaluated. Methods for executing computations of this kind in the case of general classes of forward-looking equation systems are now widely available,¹⁷ and have been used in many recent numerical analyses of optimal policy (e.g., Schmitt-Grohé and Uribe, 2004c).

This approach, however, has the disadvantage that it does not make it easy to find even an approximate characterization of fully optimal policy, as one has to compute a second-order approximation to the equilibrium dynamics implied by each candidate policy rule individually. One can approximate the optimal rule within a particular parametric family, by searching over a grid of parameter values, at each element of which one evaluates welfare; in practice, in such studies attention is restricted to low-dimensional families of simple rules. An LQ approach, when valid, instead allows one to determine which form of rule is optimal. And while the fully optimal rule is not likely to be of interest as a practical policy proposal, as noted above, computing it is nonetheless valuable as a source of insight into which types of simple rules are most likely to be nearly optimal.

Hence there would remain important advantages of an LQ approach, were a valid approximation of this form possible outside the restrictive cases already mentioned. Here we show how a valid LQ approximation can be derived, for a much more general class of policy problems.

(5) In the approach that we recommend, a quadratic loss function is derived that differs (in general) from U^Q , but that nonetheless represents a valid second-order approximation to U , in the case of the outcomes associated with any possible policy. That is, we seek a quadratic function $\hat{U}(y; \xi)$ with the property that

$$U(y; \xi) = \hat{U}(y; \xi) + \mathcal{O}(\|\xi\|^3) \tag{1.11}$$

on Ramsey policy, and would in any event involve computing essentially the same matrices as are required to derive our LQ approximation, as is discussed further below.

¹⁷See, e.g., Jin and Judd (2002), Kim *et al.* (2003), and Schmitt-Grohé and Uribe (2004a). The DYNARE project at CEPREMAP has been especially important in making these techniques widely available to macroeconomic researchers.

in the case of any values of the arguments satisfying (1.1) and such that $y - \bar{y} = \mathcal{O}(\|\xi\|)$. The fact that we require (1.11) to hold *only* for values of y that can be achieved by some policy, rather than for all values of y near enough to \bar{y} , means that \hat{U} need not coincide with U^Q , despite Taylor's theorem. Among the variety of possible quadratic approximations \hat{U} with this property, we furthermore seek one that is *purely quadratic*, i.e., with zero coefficients on the linear terms. Then $D_y \hat{U} = 0$, and (1.11) can be evaluated to second-order accuracy using only a first-order accurate approximation to $y(\xi)$ under the policy rule of interest. Hence the LQ problem of maximizing the quadratic objective $\hat{U}(y; \xi)$ subject to the linear constraints (1.5) represents a valid local approximation to the original policy problem, and the linear policy that solves this LQ problem represents a correct local linear approximation of the optimal policy y^{opt} .

The key to finding an approximate objective with these properties is to use a second-order Taylor series approximation to the constraints (1.1) to replace the linear terms in (1.3) with purely quadratic terms;¹⁸ while the resulting function is not even locally equivalent to U^Q , it is equivalent in the case of all outcomes consistent with equations (1.1) that are near enough to \bar{y} . While this method (like the one just discussed) relies upon computing a second-order approximation to the model structural relations, the second-order approximation need be used only *once*, in determining the coefficients of the quadratic objective \hat{U} , rather than having to be used again each time one seeks to evaluate the welfare associated with yet another candidate policy.

We can illustrate the method in the case of the static problem considered above. A second-order approximation to the structural relations (1.1), of the same form as the approximation (1.3), implies that

$$D_y F^I \cdot \tilde{y} = -\frac{1}{2} \tilde{y}' D_{yy}^2 F^I \cdot \tilde{y} - \tilde{y}' D_{y\xi}^2 F^I \cdot \xi + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3)$$

in the case of any $(y; \xi)$ satisfying (1.1). The fact that \bar{y} is an optimal policy when the disturbances are zero implies that

$$D_y U = -\bar{\lambda}' D_y F, \tag{1.12}$$

¹⁸A similar method is used by Sutherland (2002) to compute correct second-order approximations to welfare under alternative policies. However, his second-order approximation is computed for a particular parametric class of policies, while we derive a quadratic loss function that yields a correct welfare measure for *any* feasible policy.

where $\bar{\lambda}$ is a vector of Lagrange multipliers associated with the constraints (1.1) in the case of zero disturbances. It then follows that

$$\begin{aligned} D_y U \cdot \tilde{y} &= -\bar{\lambda}_I D_y F^I \cdot \tilde{y} \\ &= \frac{1}{2} \bar{\lambda}_I \tilde{y}' D_{yy}^2 F^I \cdot \tilde{y} + \bar{\lambda}_I \tilde{y}' D_{y\xi}^2 F^I \cdot \xi + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \end{aligned}$$

We can then use this expression to substitute for the term $D_y U \cdot \tilde{y}$ in (1.3), yielding

$$\begin{aligned} U(y; \xi) &= \frac{1}{2} \tilde{y}' [D_{yy}^2 U \\ &\quad + \bar{\lambda}_I D_{yy}^2 F^I] \cdot \tilde{y} + \tilde{y}' [D_{y\xi}^2 U + \bar{\lambda}_I D_{y\xi}^2 F^I] \cdot \xi + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \end{aligned}$$

This is an approximation of the form (1.11), where

$$\hat{U}(y; \xi) \equiv \frac{1}{2} \tilde{y}' [D_{yy}^2 U + \bar{\lambda}_I D_{yy}^2 F^I] \cdot \tilde{y} + \tilde{y}' [D_{y\xi}^2 U + \bar{\lambda}_I D_{y\xi}^2 F^I] \cdot \xi. \quad (1.13)$$

Use of the corrected quadratic objective (1.13) solves the problems associated with the use of U^Q discussed above. For example, the policy that maximizes (1.13) subject to the linearized constraints (1.5) satisfies linear first-order conditions of precisely the form (1.9). Hence this linear policy will represent a correct linear approximation to the optimal policy $y^{opt}(\xi)$. The objective (1.13) can also be used to correctly rank alternative policies (none of which need be fully optimal), as long as these policies imply that $y(0) = \bar{y}$.¹⁹

We have remarked above that an advantage of an LQ approximation (when valid) is that it makes it straightforward to verify that the solution to the LQ problem represents at least a local welfare maximum, by checking the second-order conditions for optimality. In our static example, the quadratic objective (1.13) is strictly concave in y if and only if the matrix of coefficients

$$D_{yy}^2 U + \bar{\lambda}_I D_{yy}^2 F^I \quad (1.14)$$

is negative definite. In this case, the solution to the (linear) first-order conditions represents a global maximum of \hat{U} . Because our approximation is valid only locally, this only implies that the solution to the LQ problem approximates a *local* welfare

¹⁹Kim and Kim (2006) illustrate how the method expounded here can be used, for example, to correctly rank alternative policies with regard to international risk-sharing, in an example where naive LQ analysis sometimes gives an incorrect ranking.

maximum of the exact problem. Of course, under method (3) above, it would also have been possible to verify that the solution to the first-order conditions (1.8) represents a local maximum — and hence that the solution to the linearized conditions approximates a local maximum — by checking for local concavity in y of the Lagrangian

$$\mathcal{L}(y; \xi; \lambda) \equiv U(y; \xi) + \lambda F(y; \xi)$$

associated with the exact policy problem. This would involve checking for negative definiteness of the matrix $\mathcal{L}_{yy}(\bar{y}; 0; \bar{\lambda})$,²⁰ but this is just the matrix (1.14). Thus in order to check the second-order conditions under this method, one would have to compute the coefficients of the LQ objective function in any event. Recognizing that these define a quadratic approximation to the policy objective has the advantage of not only allowing one to compute a linear approximation to the solution to the first-order conditions for optimal policy and to verify the second-order conditions, but also providing a criterion with which to rank suboptimal policies.

The type of correct LQ approximation that we discuss here is not unknown to the economics literature; in an important early application of this method, Magill (1977) derives a correct LQ approximation to a multi-sector stochastic optimal growth model (in which, unlike the case treated by Kydland and Prescott, the constraints are not linear), using results due to Fleming (1971) in the literature on optimal control. These results are not directly applicable to the class of problems of interest to us (and frequently encountered in the literature on optimal stabilization policy), however, for two reasons: we work in discrete time, and we allow for forward-looking constraints (the equilibrium relations of a macro model derived from optimizing private-sector behavior), rather than assuming purely backward-looking evolution equations as in the standard (engineering) theory of optimal control. However, as we show here, a straightforward extension of the method to the kind of problems frequently encountered in the literature on optimal stabilization is possible, allowing a valid LQ approximation of a fairly general class of discrete-time optimal policy problems.

²⁰Note that strict negative definiteness also implies that the matrix must be non-singular; this is the condition required for the first-order conditions (1.8) to have a determinate solution. Hence if one checks the second-order conditions, determinacy of the solution is guaranteed, as one would expect if each solution must be a local maximum in this case.

2 LQ Approximation of a Problem with Forward-Looking Constraints

We now consider a general dynamic optimal policy problem. Suppose that the policy authority wishes to choose the evolution of a state vector $\{y_t\}$ for $t \geq t_0$ to maximize an objective of the form

$$V_{t_0} \equiv E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \pi(y_t, \xi_t), \quad (2.1)$$

where $0 < \beta < 1$ is a discount factor, the period objective $\pi(y, \xi)$ is a concave function of y , and ξ_t is a vector of exogenous disturbances. The evolution of the endogenous states must satisfy a system of backward-looking structural relations

$$F(y_t, \xi_t; y_{t-1}) = 0 \quad (2.2)$$

and a system of forward-looking structural relations

$$E_t g(y_t, \xi_t; y_{t+1}) = 0, \quad (2.3)$$

that both must hold for each $t \geq t_0$, given the vector of initial conditions y_{t_0-1} .

Conditions of the form (2.2) allow current endogenous variables to depend on lagged states; for example, these relations could include a technological relation between the capital stock carried into the next period, current investment expenditure, and the capital stock carried into the current period.²¹ Conditions of the form (2.3) instead allow current endogenous variables to depend on current expectations regarding future states; for example, these relations could include an Euler equation for the optimal timing of consumer expenditure, relating current consumption to expected consumption in the next period and the expected rate of return on saving.²² While the most general notation would allow both leads and lags in all of the structural equations, supposing that there are equations of these two types will make clearer

²¹The next period's capital stock and the current investment expenditure would both be elements of y_t ; the vector ξ_t could include a random disturbance to investment adjustment costs.

²²Current consumption and the current period ex-post return on saving in the previous period would both be elements of y_t ; the vector ξ_t could include a random disturbance to the impatience to consume. Note that without loss of generality we may suppose that the vector ξ_t includes all information available in period t regarding future exogenous disturbances.

the different types of complications arising from the two distinct types of intertemporal linkages. We shall suppose that the number n_F of constraints of the first type each period plus the number n_g of constraints of the second type is less than the number n_y of endogenous state variables each period, so that there is at least one dimension along which policy can continuously vary the outcome y_t each period, even the past and expected future evolution of the endogenous variables. A t_0 -optimal commitment (the standard Ramsey policy problem) is then the state-contingent evolution $\{y_t\}$ consistent with equations (2.2)–(2.3) for all $t \geq t_0$ that maximizes (2.1).

2.1 A Recursive Policy Problem

As is well-known, the presence of the forward-looking constraints (2.3) implies that a t_0 -optimal commitment is not generally time-consistent. If, however, we suppose that a policy to apply from period t_0 onward must be chosen subject to an additional set of constraints on the acceptable values of y_{t_0} , it is possible for the resulting policy problem to have a recursive structure. As discussed in Benigno and Woodford (2003, 2005a), we wish to choose initial pre-commitments regarding y_{t_0} that are *self-consistent*, in the sense that the policy that is chosen subject to these constraints would also satisfy constraints of exactly the same form in all later periods as well. The required initial pre-commitments are of the form

$$g(y_{t_0-1}, \xi_{t_0-1}; y_{t_0}) = \bar{g}_{t_0}, \quad (2.4)$$

where \bar{g}_{t_0} may depend on the exogenous state at date t_0 . Note that we assume the existence of a pre-commitment only about those aspects of y_{t_0} the anticipation of which back in period $t_0 - 1$ should have been relevant to equilibrium determination then; there is no need for any stronger form of commitment in order to render optimal policy time-consistent.

We are thus interested in characterizing the state-contingent policy $\{y_t\}$ for $t \geq t_0$ that maximizes (2.1) subject to constraints (2.2) – (2.4). Such a policy is *optimal from a timeless perspective* if \bar{g}_{t_0} is chosen, as a function of predetermined or exogenous states at t_0 , according to a self-consistent rule.²³ This means that the initial pre-

²³See Giannoni and Woodford (2002), Woodford (2003, chap. 7), or Benigno and Woodford (2005a) for further discussion.

commitment is determined by past conditions through a function

$$\bar{g}_{t_0} = \bar{g}(\xi_{t_0}, \mathbf{y}_{t_0-1}), \quad (2.5)$$

where \mathbf{y}_t is an extended state vector;²⁴ this function has the property that under optimal policy, given this initial pre-commitment, the state-contingent evolution of the economy will satisfy

$$g(y_{t-1}, \xi_{t-1}; y_t) = \bar{g}(\xi_t, \mathbf{y}_{t-1}) \quad (2.6)$$

in each possible state of the world at each date $t \geq t_0$ as well. Thus the initial constraint is of a form that one would optimally commit oneself to satisfy at all (subsequent) dates.

Let $V(\bar{g}_{t_0}; y_{t_0-1}, \xi_{t_0-1}, \xi_{t_0})$ be the maximum achievable value of the objective (2.1) in this problem.²⁵ Then the infinite-horizon problem just defined is equivalent to a sequence of one-period decision problems in which, in each period $t \geq t_0$, a value of y_t is chosen and state-contingent one-period-ahead pre-commitments $\bar{g}_{t+1}(\xi_{t+1})$ (for each of the possible states ξ_{t+1} in the following period) are chosen so as to maximize

$$\pi(y_t, \xi_t) + \beta E_t V(\bar{g}_{t+1}; y_t, \xi_t, \xi_{t+1}), \quad (2.7)$$

subject to the constraints

$$\begin{aligned} F(y_t, \xi_t; y_{t-1}) &= 0, \\ g(y_{t-1}, \xi_{t-1}; y_t) &= \bar{g}_t, \\ E_t \bar{g}_{t+1} &= 0, \end{aligned}$$

given the values of $\bar{g}_t, y_{t-1}, \xi_{t-1}$, and ξ_t , all of which are predetermined and/or exogenous in period t . It is this recursive policy problem that we wish to study; note that

²⁴The extended state vector may include both endogenous and exogenous variables, the values of which are realized in period t or earlier. For the sake of concreteness, we assume below that the evolution of the extended state vector, given the evolution of the vectors y_t and ξ_t , is given by a recursion of the form (2.8), and we assume that the elements of both y_t and ξ_t are among the elements of \mathbf{y}_t .

²⁵We assume, to economize on notation, that the exogenous state vector ξ_t evolves in accordance with a Markov process. Hence ξ_t summarizes not only all of the disturbances that affect the structural relations at date t , but all information at date t about the subsequent evolution of the exogenous disturbances. This is important in order for a time-invariant value function to exist with the arguments indicated.

it is only when we consider this problem (as opposed to the unconstrained Ramsey problem) that it is possible, in general, to obtain a deterministic steady state as an optimum in the case of suitable initial conditions, and hence only in this case that we can hope to approximate the optimal policy problem around such a steady state.²⁶

The solution to the recursive policy problem just defined involves a choice of the following period's pre-commitment \bar{g}_{t+1} of the form

$$\bar{g}_{t+1} = g^*(\xi_{t+1}; \bar{g}_t, y_{t-1}, \xi_{t-1}, \xi_t),$$

where g^* is a time-invariant function. The initial pre-commitment (2.5) is then self-consistent if

$$g^*(\xi_{t+1}; \bar{g}(\xi_t, \mathbf{y}_{t-1}), y_{t-1}, \xi_{t-1}, \xi_t) = \bar{g}(\xi_{t+1}, \psi(\xi_t, y_t, \mathbf{y}_{t-1}))$$

for all possible values of ξ_{t+1} , ξ_t , y_t , and \mathbf{y}_{t-1} , where $\psi(\cdot)$ is the vector of functions in the system of identities

$$\mathbf{y}_t = \psi(\xi_t, y_t, \mathbf{y}_{t-1}) \tag{2.8}$$

that describe the evolution of the extended state vector. Note that this implies that equation (2.6) is satisfied at all times.

2.2 A Correct LQ Local Approximation

As in the static problem treated in the previous section, our method involves a local approximation to both the objective and the constraints, near an optimal policy for the case of zero disturbances. We furthermore assume both an initial state y_{t_0-1} and initial pre-commitments \bar{g}_{t_0} such that the optimal policy in the case of zero disturbances is a steady state, *i.e.*, such that $y_t = \bar{y}$ for all t , for some vector \bar{y} . (More precisely, our calculations below assume that both y_{t_0-1} and \bar{g}_{t_0-1} are *close enough* to being consistent with this steady state.) In order to define this steady state, we must consider the nature of optimal policy in the exact problem just defined.

²⁶In the literature on Ramsey policy, one sometimes sees approximate characterizations of optimal policy computed by log-linearizing around a steady state that Ramsey policy approaches asymptotically in the absence of random disturbances. But in such a case, there is no guarantee that the approximate characterization would be accurate even in the case of arbitrarily small disturbances, as Ramsey policy need not be near the steady state except asymptotically.

The first-order conditions for the exact policy problem can be obtained by differentiating a Lagrangian of the form

$$\mathcal{L}_{t_0} = V_{t_0} + E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\lambda_t' F(y_t, \xi_t; y_{t-1}) + \beta^{-1} \varphi_{t-1}' g(y_{t-1}, \xi_{t-1}; y_t)], \quad (2.9)$$

where λ_t and φ_t are Lagrange multipliers associated with constraints (2.2) and (2.3) respectively, for any date $t \geq t_0$, and we use the notation $\beta^{-1} \varphi_{t_0-1}$ for the Lagrange multiplier associated with the additional constraint (2.4). This last notational choice allows the first-order conditions to be expressed in the same way for all periods. Optimality requires that the joint evolution of the processes $\{y_t, \xi_t, \lambda_t, \varphi_t\}$ satisfy

$$\begin{aligned} D_y \pi(y_t, \xi_t) + \lambda_t' D_y F(y_t, \xi_t; y_{t-1}) + \beta E_t \lambda_{t+1}' D_{\hat{y}} F(y_{t+1}, \xi_{t+1}; y_t) \\ + E_t \varphi_t' D_y g(y_t, \xi_t; y_{t+1}) + \beta^{-1} \varphi_{t-1}' D_{\hat{y}} g(y_{t-1}, \xi_{t-1}; y_t) = 0 \end{aligned} \quad (2.10)$$

at each date $t \geq t_0$, where D_y denotes the vector of partial derivatives of any of the functions with respect to the elements of y_t , while $D_{\hat{y}}$ means the vector of partial derivatives with respect to the elements of y_{t+1} and $D_{\check{y}}$ means the vector of partial derivatives with respect to the elements of y_{t-1} .

An *optimal steady state* is then described by a collection of vectors $(\bar{y}, \bar{\lambda}, \bar{\varphi})$ satisfying

$$\begin{aligned} D_y \pi(\bar{y}, 0) + \bar{\lambda}' D_y F(\bar{y}, 0; \bar{y}) + \beta \bar{\lambda}' D_{\check{y}} F(\bar{y}, 0; \bar{y}) \\ + \bar{\varphi}' D_y g(\bar{y}, 0; \bar{y}) + \beta^{-1} \bar{\varphi}' D_{\hat{y}} g(\bar{y}, 0; \bar{y}) = 0, \end{aligned} \quad (2.11)$$

$$F(\bar{y}, 0; \bar{y}) = 0, \quad (2.12)$$

$$g(\bar{y}, 0; \bar{y}) = 0. \quad (2.13)$$

We shall suppose that such a steady state exists, and assume (in the policy problem with random disturbances) an initial state y_{t_0-1} near \bar{y} — more precisely, such that $y_{t_0-1} - \bar{y} = \mathcal{O}(\|\xi\|)$ — and an initial pre-commitment such that $\bar{g}_{t_0} = \mathcal{O}(\|\xi\|)$ as well.²⁷ Once the optimal steady state has been computed, we make no further use of conditions (2.10); our proposed method does not require that we directly seek to solve these equations.

Instead, we now consider local approximations to the objective and constraints near an optimal steady state. We can compute a second-order Taylor expansion of

²⁷Note that the steady-state value of \bar{g} is equal to $g(\bar{y}, 0; \bar{y}) = 0$.

the period objective function π , obtaining an expression of exactly the form (1.3). Substituting this into (2.1), we obtain the approximate objective

$$V_{t_0} = E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[D_y \pi \cdot \tilde{y}_t + \frac{1}{2} \tilde{y}'_t D_{yy}^2 \pi \cdot \tilde{y}_t + \tilde{y}'_t D_{y\xi}^2 \pi \cdot \xi_t \right] + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \quad (2.14)$$

This would be used as the quadratic objective in what we have called the “naive” LQ approximation. Under our alternative approach, we must substitute purely quadratic terms for the linear terms $D_y \pi \cdot \tilde{y}_t$ in this sum.

A similar second-order Taylor series approximation can be written for each of the functions F^k . It follows that

$$\begin{aligned} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \bar{\lambda}' F(y_t, \xi_t; y_{t-1}) &= \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left\{ \bar{\lambda}' [D_y F \cdot \tilde{y}_t + D_{\tilde{y}} F \cdot \tilde{y}_{t-1}] \right. \\ &\quad + \bar{\lambda}_k \left[\frac{1}{2} \tilde{y}'_t D_{yy}^2 F^k \cdot \tilde{y}_t + \tilde{y}'_t D_{y\xi}^2 F^k \cdot \xi_t + \tilde{y}'_{t-1} D_{\tilde{y}\xi}^2 F^k \cdot \xi_t \right. \\ &\quad \left. \left. + \frac{1}{2} \tilde{y}'_{t-1} D_{\tilde{y}\tilde{y}}^2 F^k \cdot \tilde{y}_{t-1} + \tilde{y}'_t D_{y\tilde{y}}^2 F^k \cdot \tilde{y}_{t-1} \right] \right\} \\ &\quad + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3) \\ &= \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left\{ \bar{\lambda}' [D_y F + \beta D_{\tilde{y}} F] \cdot \tilde{y}_t \right. \\ &\quad + \frac{1}{2} \bar{\lambda}_k \left[\tilde{y}'_t D_{yy}^2 F^k \cdot \tilde{y}_t + 2\tilde{y}'_t D_{y\xi}^2 F^k \cdot \xi_t + 2\beta \tilde{y}'_t D_{\tilde{y}\xi}^2 F^k \cdot \xi_{t+1} \right. \\ &\quad \left. + \beta \tilde{y}'_t D_{\tilde{y}\tilde{y}}^2 F^k \cdot \tilde{y}_t + 2\tilde{y}'_t D_{y\tilde{y}}^2 F^k \cdot \tilde{y}_{t-1} \right] \left. \right\} \\ &\quad + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \end{aligned} \quad (2.15)$$

Using a similar Taylor series approximation of each of the functions g^i , we correspondingly obtain

$$\begin{aligned} \sum_{t=t_0}^{\infty} \beta^{t-t_0-1} \bar{\varphi}' g(y_{t-1}, \xi_{t-1}; y_t) &= \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left\{ \bar{\varphi}' [D_y g + \beta^{-1} D_{\tilde{y}} g] \cdot \tilde{y}_t \right. \\ &\quad + \frac{1}{2} \bar{\varphi}_i \left[\tilde{y}'_t D_{yy}^2 g^i \cdot \tilde{y}_t + 2\tilde{y}'_t D_{y\xi}^2 g^i \cdot \xi_t + 2\beta^{-1} \tilde{y}'_t D_{\tilde{y}\xi}^2 g^i \cdot \xi_{t-1} \right. \\ &\quad \left. + \beta^{-1} \tilde{y}'_t D_{\tilde{y}\tilde{y}}^2 g^i \cdot \tilde{y}_t + 2\beta^{-1} \tilde{y}'_t D_{y\tilde{y}}^2 g^i \cdot \tilde{y}_{t-1} \right] \left. \right\} \\ &\quad + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \end{aligned} \quad (2.16)$$

It then follows from constraints (2.2)–(2.4) that in the case of any admissible policy,²⁸

$$\begin{aligned}
\beta^{-1}\bar{\varphi}'\bar{g}_{t_0} &= E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\bar{\lambda}'F(y_t, \xi_t; y_{t-1}) + \beta^{-1}\bar{\varphi}'g(y_{t-1}, \xi_{t-1}; y_t)] \\
&= E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left\{ [\bar{\lambda}'(D_y F + \beta D_{\tilde{y}} F) + \bar{\varphi}'(D_y g + \beta^{-1} D_{\tilde{y}} g)] \cdot \tilde{y}_t \right. \\
&\quad + \frac{1}{2} \bar{\lambda}_k [\tilde{y}'_t D_{yy}^2 F^k \cdot \tilde{y}_t + 2\tilde{y}'_t D_{y\xi}^2 F^k \cdot \xi_t + 2\beta \tilde{y}'_t D_{\tilde{y}\xi}^2 F^k \cdot \xi_{t+1} \\
&\quad + \beta \tilde{y}'_t D_{\tilde{y}\tilde{y}}^2 F^k \cdot \tilde{y}_t + 2\tilde{y}'_t D_{y\tilde{y}}^2 F^k \cdot \tilde{y}_{t-1}] \\
&\quad + \frac{1}{2} \bar{\varphi}_i [\tilde{y}'_t D_{yy}^2 g^i \cdot \tilde{y}_t + 2\tilde{y}'_t D_{y\xi}^2 g^i \cdot \xi_t + 2\beta^{-1} \tilde{y}'_t D_{\tilde{y}\xi}^2 g^i \cdot \xi_{t-1} \\
&\quad + \beta^{-1} \tilde{y}'_t D_{\tilde{y}\tilde{y}}^2 g^i \cdot \tilde{y}_t + 2\beta^{-1} \tilde{y}'_t D_{y\tilde{y}}^2 g^i \cdot \tilde{y}_{t-1}] \left. \right\} \\
&\quad + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3), \tag{2.17}
\end{aligned}$$

where we have used (2.15) and (2.16) to substitute for the F and g terms respectively. We can write this more compactly in the form

$$\begin{aligned}
\beta^{-1}\bar{\varphi}'\bar{g}_{t_0} &= E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left\{ \Phi \cdot \tilde{y}_t + \frac{1}{2} [\tilde{y}'_t H \cdot \tilde{y}_t + 2\tilde{y}'_t R \tilde{y}_{t-1} + 2\tilde{y}'_t Z(L) \xi_{t+1}] \right\} \\
&\quad + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3), \tag{2.18}
\end{aligned}$$

where

$$\begin{aligned}
\Phi &\equiv \bar{\lambda}'[D_y F + \beta D_{\tilde{y}} F] + \bar{\varphi}'[D_y g + \beta^{-1} D_{\tilde{y}} g], \\
H &\equiv \bar{\lambda}_k [D_{yy}^2 F^k + \beta D_{\tilde{y}\tilde{y}}^2 F^k] + \bar{\varphi}_i [D_{yy}^2 g^i + \beta^{-1} D_{\tilde{y}\tilde{y}}^2 g^i], \\
R &\equiv \bar{\lambda}_k D_{y\tilde{y}}^2 F^k + \bar{\varphi}_i \beta^{-1} D_{\tilde{y}\tilde{y}}^2 g^i, \\
Z(L) &\equiv \beta \bar{\lambda}_k D_{\tilde{y}\xi}^2 F^k + (\bar{\lambda}_k D_{y\xi}^2 F^k + \bar{\varphi}_i D_{y\xi}^2 g^i) \cdot L + \beta^{-1} \bar{\varphi}_i D_{\tilde{y}\xi}^2 g^i \cdot L^2.
\end{aligned}$$

Using (2.11), we furthermore observe that²⁹

$$\Phi = -D_y \pi.$$

²⁸Note that we here include (2.4) among the constraints that a policy must satisfy. We shall call any evolution that satisfies (2.2)–(2.3) a “feasible” policy. Under this weaker assumption, the left-hand sides of (2.17) and (2.18) must instead be replaced by $\beta^{-1}\bar{\varphi}'g(y_{t_0-1}, \xi_{t_0-1}; y_{t_0})$.

²⁹This is the point at which our calculations rely on the assumption that the steady state around which we compute our local approximations is optimal.

With this substitution in (2.18), we obtain an expression that can be solved for

$$E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} D_y \pi \cdot \tilde{y}_t,$$

which can in turn be used to substitute for the linear terms in (2.14). We thus obtain an alternative quadratic approximation to (2.1),³⁰

$$V_{t_0} = \frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\tilde{y}'_t Q \cdot \tilde{y}_t + 2\tilde{y}'_t R \tilde{y}_{t-1} + 2\tilde{y}'_t B(L) \xi_{t+1}] + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3), \quad (2.19)$$

where now

$$\begin{aligned} Q &\equiv D_{yy}^2 \pi + H, \\ B(L) &\equiv Z(L) + D_{y\xi}^2 \pi \cdot L. \end{aligned} \quad (2.20)$$

Since (2.19) involves no linear terms, it can be evaluated (up to a residual of order $\mathcal{O}(\|\xi\|^3)$) using only a linear approximation to the evolution of \tilde{y}_t under a given policy rule.

It follows that a correct LQ approximation to the original problem is given by the problem of choosing a state-contingent evolution $\{\tilde{y}_t\}$ for $t \geq t_0$ to maximize the objective

$$V_{t_0}^Q(\tilde{y}; \xi) \equiv \frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\tilde{y}'_t A(L) \tilde{y}_t + 2\tilde{y}'_t B(L) \xi_{t+1}] \quad (2.21)$$

subject to the constraints that

$$C(L) \tilde{y}_t = f_t, \quad (2.22)$$

$$E_t D(L) \tilde{y}_{t+1} = h_t \quad (2.23)$$

for all $t \geq t_0$, and the additional initial constraint that

$$D(L) \tilde{y}_{t_0} = \tilde{h}_{t_0}, \quad (2.24)$$

where now

$$A(L) \equiv Q + 2R \cdot L, \quad (2.25)$$

³⁰Here we include \bar{g}_{t_0} among the “terms independent of policy.” If we consider also policies that are not necessarily consistent with the initial pre-commitment, the left-hand side of (2.19) is more generally equal to $V_{t_0} + \beta^{-1} \bar{\varphi}' g(y_{t_0-1}, \xi_{t_0-1}; y_{t_0})$. This generalization of (2.19) is used in the derivation of equation (4.3) below.

$$C(L) \equiv D_y F + D_{\bar{y}} F \cdot L, \quad (2.26)$$

$$f_t \equiv -D_{\xi} F \cdot \xi_t,$$

$$D(L) \equiv D_{\bar{y}} g + D_y g \cdot L, \quad (2.27)$$

$$h_t \equiv -D_{\xi} g \cdot \xi_t,$$

$$\tilde{h}_{t_0} \equiv h_{t_0-1} + \bar{g}_{t_0}.$$

2.3 An Equivalent Lagrangian Approach

In the case that the objective (2.21) is concave,³¹ the first-order conditions associated with the LQ problem just defined characterize the solution to that problem. Here we show that these linear equations also correspond to a local linear approximation to the first-order conditions associated with the exact problem, *i.e.*, the modified Ramsey policy problem defined in section 2.1, and hence that the solution to the LQ problem represents a local linear approximation to optimal policy from a timeless perspective.³²

As already noted, the first-order conditions for the exact policy problem are obtained by differentiating the Lagrangian \mathcal{L}_{t_0} defined in (2.9). This yields the system of first-order conditions (2.10). The linearization of these first-order conditions around the optimal steady state is in turn the set of linear equations that would be obtained by differentiating a quadratic approximation to \mathcal{L}_{t_0} around that same steady state. Hence we are interested in computing such a local approximation, for the case in which $y_t - \bar{y}$, $\lambda_t - \bar{\lambda}$, and $\varphi_t - \bar{\varphi}$ are each of order $\mathcal{O}(\|\xi\|)$ for all t . (Here the steady-state values of the Lagrange multipliers $\bar{\lambda}, \bar{\varphi}$ are again given by the solution to equations (2.11) – (2.13).)

We may furthermore write the Lagrangian in the form

$$\mathcal{L}_{t_0} = \bar{\mathcal{L}}_{t_0} + \tilde{\mathcal{L}}_{t_0},$$

where

$$\bar{\mathcal{L}}_{t_0} = V_{t_0} + E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[\bar{\lambda}' F(y_t, \xi_t; y_{t-1}) + \beta^{-1} \bar{\varphi}' g(y_{t-1}, \xi_{t-1}; y_t) \right],$$

³¹The algebraic conditions under which this is so are discussed in the next section.

³²See also Levine *et al.* (2006) for a similar discussion of the equivalence between our approach and the Lagrangian approach.

$$\tilde{\mathcal{L}}_{t_0} = E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[\tilde{\lambda}'_t F(y_t, \xi_t; y_{t-1}) + \beta^{-1} \tilde{\varphi}'_{t-1} g(y_{t-1}, \xi_{t-1}; y_t) \right],$$

$$\tilde{\lambda}_t \equiv \lambda_t - \bar{\lambda}, \quad \tilde{\varphi}_t \equiv \varphi_t - \bar{\varphi}.$$

We can then use equations (2.14) and (2.17) to show that the local quadratic approximation to $\tilde{\mathcal{L}}_{t_0}$ is given by³³

$$\bar{\mathcal{L}}_{t_0} = V_{t_0}^Q + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3).$$

In addition, the fact that $\tilde{\lambda}_t, \tilde{\varphi}_t$ are both of order $\mathcal{O}(\|\xi\|)$ means that a local quadratic approximation to the other term is given by

$$\tilde{\mathcal{L}}_{t_0} = E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[\tilde{\lambda}'_t \tilde{F}(y_t, \xi_t; y_{t-1}) + \beta^{-1} \tilde{\varphi}'_{t-1} \tilde{g}(y_{t-1}, \xi_{t-1}; y_t) \right] + \mathcal{O}(\|\xi\|^3),$$

where \tilde{F} and \tilde{g} are local linear approximations to the functions F and g respectively.

Hence the local quadratic approximation to the complete Lagrangian is given by

$$\begin{aligned} \mathcal{L}_{t_0} &= V_{t_0}^Q + E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[\tilde{\lambda}'_t \tilde{F}(y_t, \xi_t; y_{t-1}) + \beta^{-1} \tilde{\varphi}'_{t-1} \tilde{g}(y_{t-1}, \xi_{t-1}; y_t) \right] \\ &\quad + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \end{aligned} \tag{2.28}$$

But this is identical (up to terms independent of policy) to the Lagrangian for the LQ problem of maximizing $V_{t_0}^Q$ subject to the linearized constraints. Hence the first-order conditions obtained from this approximate Lagrangian (which coincide with the local linear approximation to the first-order conditions for the exact problem) are identical to the first-order conditions for the LQ problem, and their solutions are identical as well.

3 Characterizing Optimal Policy

We now study necessary and sufficient conditions for a policy to solve the LQ problem of maximizing (2.21) subject to constraints (2.22) – (2.24). The Lagrangian for this

³³It is worth noting that this equality holds in the case of all feasible policies, whether or not the policy is consistent with the initial pre-commitment (2.4). This is important for our discussion of the welfare evaluation of suboptimal policies in section 4.

problem is given by

$$\mathcal{L}_{t_0}^Q = \frac{1}{2} \left\{ E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[\tilde{y}'_t A(L) \tilde{y}_t + 2\tilde{y}'_t B(L) \xi_{t+1} + 2\tilde{\lambda}'_t C(L) \tilde{y}_t + 2\beta^{-1} \tilde{\varphi}'_{t-1} D(L) \tilde{y}_t \right] \right\}.$$

(Note that this is just (2.28), omitting the terms independent of policy and those of third or higher order.) Differentiation of the Lagrangian then yields a system of linear first-order conditions

$$\begin{aligned} \frac{1}{2} E_t \{ [A(L) + A'(\beta L^{-1})] \tilde{y}_t \} + E_t [B(L) \xi_{t+1}] \\ + E_t [C'(\beta L^{-1}) \tilde{\lambda}_t] + \beta^{-1} D'(\beta L^{-1}) \tilde{\varphi}_{t-1} = 0 \end{aligned} \quad (3.1)$$

that must hold for each $t \geq t_0$ under an optimal policy. (Here we use the notation X' for the transpose of a matrix X .) These conditions, together with (2.22) – (2.24), form a linear system to be solved for the joint evolution of the processes $\{\tilde{y}_t, \tilde{\lambda}_t, \tilde{\varphi}_t\}$ given the exogenous disturbance processes $\{\xi_t\}$ and the initial conditions \tilde{y}_{t_0-1} and the initial pre-commitment \tilde{g}_{t_0} (or \hat{h}_{t_0}). This type of system of linear stochastic difference equations is easy to solve using standard methods.

Let \mathcal{H} be the Hilbert space of (real-valued) stochastic processes $\{\tilde{y}_t\}$ such that

$$E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \tilde{y}'_t \tilde{y}_t < \infty. \quad (3.2)$$

In terms of the rescaled state variables

$$\hat{y}_t = \beta^{\frac{t-t_0}{2}} \tilde{y}_t, \quad (3.3)$$

we see that \mathcal{H} is simply the space of stationary (square-summable) processes. We are interested in solutions to the LQ problem that satisfy the bound (3.2) because it guarantees that the objective V^Q is well-defined (and is generically required for it to be so). Of course, our LQ approximation to the original problem is only guaranteed to be accurate in the case that \tilde{y}_t is always sufficiently small; hence a solution to the LQ problem in which \tilde{y}_t grows without bound, but at a slow enough rate for (3.2) to be satisfied, need not correspond (even approximately) to any optimum (or local optimum) of the exact problem. In this section, however, we take the LQ problem at

fact value, and discuss the conditions under which it has a solution, despite the fact that we may only be interested in bounded solutions.

Introducing correspondingly rescaled Lagrange multipliers $\{\hat{\lambda}_t, \hat{\varphi}_t\}$ as well, the system of necessary conditions for an optimum consisting of (2.22), (2.23) and (3.1) can be written in the matrix form

$$E_t[M(L, L^{-1})z_t] = x_t \quad (3.4)$$

where

$$M(L, L^{-1}) \equiv \begin{bmatrix} 0 & 0 & C(\beta^{1/2}L) \\ 0 & 0 & \beta^{-1/2}L^{-1}D(\beta^{1/2}L) \\ C'(\beta^{1/2}L^{-1}) & \beta^{-1/2}LD'(\beta^{1/2}L^{-1}) & \frac{1}{2}[A(\beta^{1/2}L) + A'(\beta^{1/2}L^{-1})] \end{bmatrix},$$

$$z_t \equiv \begin{bmatrix} \hat{\lambda}_t \\ \hat{\varphi}_t \\ \hat{y}_t \end{bmatrix},$$

and x_t is a vector of (correspondingly rescaled) exogenous disturbances known in period t . Conditions (3.4) must be satisfied for all $t \geq t_0$.

As usual, the existence of a unique square-summable solution $\{z_t\}$ to this system (corresponding to a solution $\{\tilde{y}_t\} \in \mathcal{H}$) for given initial conditions z_{t_0-1} and a square-summable forcing process $\{x_t\}$ depends on the roots of the characteristic polynomial associated with the equation system. The characteristic polynomial is given by³⁴

$$\Delta(z) \equiv \det[zM(z^{-1}, z)] = 0. \quad (3.5)$$

The condition required (generically) for a unique square-summable solution is that equation (3.5) have exactly n roots such that $|z| < 1$, where $n = n_F + n_g + n_y$ is the dimension of the square matrix M . This condition is satisfied in our case, under the important proviso that (3.5) have no roots with a modulus exactly equal to 1.

³⁴It follows from condition (i) of Lemma 2, stated below, that in the case of any concave problem, the function $\Delta(z)$ defined here is not identically equal to zero. We shall restrict our attention to problems satisfying this condition, for reasons discussed below. Hence (3.5) is a polynomial equation with a set of isolated (possibly complex) roots.

And while this last condition is far from innocuous,³⁵ we show below that it must be satisfied in the case of a concave problem, which is the only case in which a solution to the first-order conditions (even if one exists) will correspond to an optimum. Hence we may restrict our attention to problems in which it is satisfied.

Note that the matrix operator M has the symmetry property

$$M(L, L^{-1}) = M(L^{-1}, L)'. \quad (3.6)$$

It follows from this that in the case of any $z \neq 0$ satisfying (3.5), z^{-1} is also a solution. Hence the non-zero roots occur in reciprocal pairs. Under the assumption that there are no roots such that $|z| = 1$, it follows that there must be exactly k roots with $|z| < 1$ and k roots with $|z| > 1$, for some $0 \leq k \leq n$, while the other roots (if any) are all equal to zero. It also follows from (3.6) that if λ^j is the smallest power of λ with a non-zero coefficient in the polynomial (3.5), then λ^{2n-j} will be the largest power of λ with a non-zero coefficient (and indeed these two coefficients will be the same). Hence we must have $j = n - k$, so that there are exactly $n - k$ roots equal to zero. We then observe that there are exactly n roots with $|z| < 1$, which is the condition for a determinate solution.

It follows that there exists a unique solution of the form³⁶

$$\begin{bmatrix} \hat{\varphi}_t \\ \hat{y}_t \end{bmatrix} = T \begin{bmatrix} \hat{\varphi}_{t-1} \\ \hat{y}_{t-1} \end{bmatrix} + \Psi(\beta^{1/2}L)\hat{\xi}_t, \quad (3.7)$$

where T is a stable matrix, the eigenvalues of which correspond to the roots $|z| < 1$ of (3.5), and $\Psi(L)$ is a lag polynomial of order 1, because one lag of the disturbances

³⁵One might think that in a generic problem there should be no roots with modulus exactly equal to 1. However, as we show in the next paragraph, the roots of (3.5) necessarily occur in reciprocal pairs. It is possible for the $2k$ non-zero roots to correspond to $k - 1$ roots with modulus less than 1, the $k - 1$ reciprocals of these, and a pair of complex roots with modulus exactly equal to 1 that are reciprocals of one another. In such a case, a small perturbation of the model parameters will necessarily result in nearby coefficients for the matrices in (3.5), but still possessing the same symmetry property, so that there will continue to be a complex pair with modulus exactly equal to 1.

³⁶In writing the solution in this form, we use the fact that $\{\xi_t\}$ is assumed to be a Markov process, and assume furthermore that it has a linear law of motion, so that conditional expectations $E_t\xi_{t+j}$ can all be written as linear functions of ξ_t . In the case that the disturbance processes are not linear, the final term in (3.7) is instead a nonlinear function of ξ_t , and if the disturbances are not Markovian, the solution must be written as a function of the conditional expectations $E_t\xi_{t+j}$ for $j \geq 0$. In all cases, the solution is linear in the conditional expectations.

appears in (3.1). The solution does not depend on $\hat{\lambda}_{t-1}$, because equations (3.1) do not. Moreover, we can similarly solve for $\hat{\lambda}_t$ as a linear function of $\hat{\varphi}_{t-1}$, \hat{y}_{t-1} , and ξ_t , but we do not need this equation in order to solve for the dynamics of the state variables $\{\hat{y}_t\}$ under optimal policy. Equations (3.7) can be solved for $\hat{\varphi}_{t_0}$ and \hat{y}_{t_0} given initial conditions $\hat{\varphi}_{t_0-1}$ and \hat{y}_{t_0-1} ; and then one can solve these equations recursively, computing the state-contingent values of $\hat{\varphi}_t$ and \hat{y}_t in any period once the state-contingent values for the previous period have been computed.

This method allows us to obtain a unique square-summable solution to the first-order conditions (3.1) corresponding to any assumed values for the initial multipliers $\hat{\varphi}_{t_0-1}$. These multipliers are not given, and must themselves be solved for; but we seek a solution that also satisfies (2.24). Let $d(\hat{\varphi}_{t_0-1}, \hat{y}_{t_0-1}, \hat{\xi}_{t_0})$ be the value of $D(L)\tilde{y}_{t_0}$ implied by the solution for \hat{y}_{t_0} given in (3.7). Then the initial multipliers $\hat{\varphi}_{t_0-1}$ associated with the initial pre-commitment are those that satisfy the equation

$$d(\hat{\varphi}_{t_0-1}, \hat{y}_{t_0-1}, \hat{\xi}_{t_0}) = \tilde{h}_{t_0}. \quad (3.8)$$

Equation (3.8) together with (3.7) allows us to determine the state-contingent evolution $\{\tilde{y}_t\}$ that simultaneously satisfies the constraints (2.22) – (2.24) and the first-order conditions (3.1).

The fact that the matrix T is stable (has all eigenvalues with modulus less than 1) implies that the process $\{\hat{y}_t\}$ that solves these equations will be bounded if the rescaled disturbance processes $\{\hat{\xi}_t\}$ are bounded. However, this is consistent with growth in the original state variables \tilde{y}_t to grow at a rate as large as $\beta^{-t/2}$, and if they do, the state variables y_t will eventually, with high probability, be far from the steady-state values \bar{y} around which we have computed our local approximations, and hence our local approximations may not be at all accurate as a characterization of optimal policy. However, if the largest of the k roots of (3.5) inside the unit circle has a modulus $|z| < \beta^{1/2}$, then the eigenvalues of T all have a modulus less than $\beta^{1/2}$, and $\tilde{T} \equiv \beta^{-1/2}T$ is also a stable matrix. We can then write (3.7) equivalently as

$$\begin{bmatrix} \tilde{\varphi}_t \\ \tilde{y}_t \end{bmatrix} = \tilde{T} \begin{bmatrix} \tilde{\varphi}_{t-1} \\ \tilde{y}_{t-1} \end{bmatrix} + \Psi(L)\xi_t, \quad (3.9)$$

and the fact that \tilde{T} is stable implies that $\{\tilde{y}_t\}$ will be bounded if the disturbances $\{\xi_t\}$ are bounded. In this case, a sufficiently small bound on the amplitude of the

exogenous disturbances will imply that the solution to the first-order conditions remains forever in an arbitrarily small neighborhood of the steady state, so that our local approximations should be highly accurate.

The first-order conditions (3.1) are easily shown to be *necessary* for optimality, but they are not generally *sufficient* for optimality as well; one must also verify that second-order conditions for optimality are satisfied. (In the case of an LQ problem, satisfaction of the second-order conditions implies global, and not just local, optimality; so we need not check any further conditions. But because our LQ problem is only a local approximation to the original policy problem, a global optimum of the LQ problem still may only correspond to a local optimum of the exact problem.) We next consider these additional conditions.

Let us consider the subspace $\mathcal{H}_1 \subset \mathcal{H}$ of sequences $\psi \in \mathcal{H}$ that satisfy the constraints

$$C(L)\psi_t = 0 \tag{3.10}$$

$$E_t D(L)\psi_{t+1} = 0 \tag{3.11}$$

for each date $t \geq t_0$, along with the initial commitments

$$D(L)\psi_{t_0} = 0, \tag{3.12}$$

where we define $\psi_{t_0-1} \equiv 0$ in writing (3.10) for period $t = t_0$ and in writing (3.12). This subspace is of interest because if a process $\tilde{y} \in \mathcal{H}$ satisfies constraints (2.22) – (2.24), another process $\hat{y} \in \mathcal{H}$ with $\hat{y}_{t_0-1} = \tilde{y}_{t_0-1}$ satisfies those constraints as well if and only if $\hat{y} - \tilde{y} \in \mathcal{H}_1$. We may now state our main result.

Proposition 1 *For $\{\tilde{y}_t\} \in \mathcal{H}$ to maximize the quadratic form (2.21), subject to the constraints (2.22) – (2.24) given initial conditions \tilde{y}_{t_0-1} and \bar{g}_{t_0} , it is necessary and sufficient that (i) there exist Lagrange multiplier processes³⁷ $\tilde{\varphi}, \tilde{\lambda} \in \mathcal{H}$ such that the processes $\{\tilde{y}_t, \tilde{\varphi}_t, \tilde{\lambda}_t\}$ satisfy (3.1) for each $t \geq t_0$; and (ii)*

$$V^Q(\psi) \equiv V_{t_0}^Q(\psi; 0) = \frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\psi_t' A(L) \psi_t] \leq 0 \tag{3.13}$$

for all processes $\psi \in \mathcal{H}_1$, where in evaluating (3.13) we define $\psi_{t_0-1} \equiv 0$. A process $\{\tilde{y}_t\}$ with these properties is furthermore uniquely optimal if and only if

$$V^Q(\psi) < 0 \tag{3.14}$$

³⁷Note that $\tilde{\varphi}_t$ is also assumed to be defined for $t = t_0 - 1$.

for all processes $\psi \in \mathcal{H}_1$ that are non-zero almost surely.

The proof is given in the Appendix. The case in which the stronger condition (3.14) holds — *i.e.*, the quadratic form $V^Q(\psi)$ is negative definite on the subspace \mathcal{H}_1 — is the one of primary interest to us, since it is in this case that we know that the process $\{\tilde{y}_t\}$ represents at least a local welfare maximum in the exact problem. In this case we can also show that pure randomization of policy reduces the welfare objective (2.21), and hence is locally welfare-reducing in the exact problem as well, as is discussed further in Benigno and Woodford (2005a).

We can furthermore establish a useful characterization of the algebraic conditions under which the second-order conditions (3.14) are satisfied. In stating these conditions, we shall assume that

$$\text{rank} \begin{bmatrix} C(L) \\ D(L) \end{bmatrix} = n_F + n_g. \quad (3.15)$$

This condition must hold in order for the constraints (2.22) – (2.23) to include neither any redundant constraints nor any constraints that are inconsistent in the case of generic forcing processes $\{f_t, h_t\}$.

Lemma 2 *Suppose that regularity condition (3.15) holds. Then the second-order condition for the previous optimization problem is satisfied — *i.e.*, (3.14) is satisfied by all processes $\psi \in \mathcal{H}_1$ that are non-zero almost surely — if and only if (i) every northwest principal minor of the bordered Hermitian matrix*

$$\bar{M}(\theta) \equiv M(e^{-i\theta}, e^{i\theta}) \quad (3.16)$$

of order $p > 2(n_F + n_g)$ has the same sign as $(-1)^{p-n_F-n_g}$ for all $-\pi \leq \theta \leq \pi$; and (ii) in the case that $n_g > 0$, J_{11} , the $n_g \times n_g$ upper left block of the matrix

$$J \equiv \sum_{j=1}^{\infty} T'^j [S'(A_0 + A'_0)S + \beta^{1/2} T' S' A_1 S + \beta^{1/2} S' A'_1 S T] T^j \quad (3.17)$$

*is negative definite, *i.e.*, for each $1 \leq p \leq n_g$, the northwest principal minor of J of order p has the same sign as $(-1)^p$. Here A_0, A_1 are the matrices such that $A(L) = A_0 + A_1 L$, and*

$$S \equiv [0 \ I]$$

is the $n_y \times (n_g + n_y)$ matrix that selects the last n_y elements of a vector of length $n_g + n_y$, and T is the matrix in (3.7).

The proof of this lemma is also given in the Appendix. Note that because we assume that $n_y > n_F + n_g$, condition (i) of this lemma necessarily implies that the determinant of $\bar{M}(\theta)$, the principal minor of order $p = n$, must have the same sign for all θ . Hence there can be no root of $\Delta(z)$ of the form $z = e^{i\theta}$, which is to say, no root for which $|z| = 1$. Thus as mentioned earlier, our maintained assumption in solving the first-order necessary conditions (3.4) follows from one of the second-order necessary conditions. The fact that condition (i) implies that we can solve the system (3.4), as discussed above, also allows us to define the matrix J that is used in stating condition (ii).

The fact that condition (ii) is needed in addition to condition (i) in order to ensure that we have a concave problem indicates an important respect in which the theory of LQ optimization with forward-looking constraints is not a trivial generalization of the standard theory for backward-looking problems.³⁸ (Condition (i) is instead a direct generalization of the condition given in Telser and Graves (1972) for the case of a deterministic, backward-looking LQ problem.) It also shows that the second-order conditions for a stochastic problem are more complex than they would be in the case of a deterministic policy problem (again, unlike what is true of purely backward-looking LQ problems). Because of our assumption of an initial pre-commitment (2.24), the deterministic LQ problem corresponding to the one considered here would be one of choosing a sequence $\{\tilde{y}_t\}$ for $t \geq t_0$ to maximize $V_{t_0}^Q(\tilde{y}; \xi)$ subject to the constraints that

$$C(L)\tilde{y}_t = f_t, \quad D(L)\tilde{y}_t = \tilde{h}_t$$

for all $t \geq t_0$, where $\{\xi_t, f_t, \tilde{h}_t\}$ are specified deterministic sequences and \tilde{y}_{t_0-1} is given as an initial condition. This deterministic problem is a standard backward-looking problem of the kind treated in the optimal control literature, and hence the characterization of the second-order conditions given in Telser and Graves (1972) is applicable. In fact (as shown in the Appendix), the required condition is simply condition (i) of Lemma 2.

³⁸In some cases, condition (i) is both necessary and sufficient for concavity, even in the presence of forward-looking constraints. The problem treated in Benigno and Woodford (2005a) is an example of this kind.

But this is not generally a sufficient condition to guarantee that (3.14) is satisfied, in the presence of forward-looking constraints (2.23), if policy randomization is allowed.³⁹ Because constraints (2.23) need hold only in expected value, random policy may be able to vary the paths of the endogenous variables (in some states of the world) in directions that would not be possible in the corresponding deterministic problem, and this makes the algebraic conditions required for (3.14) to hold more stringent.

A simple example may clarify this point. Suppose that y_t has two elements, and that the only constraint on what policy can achieve is a single, forward-looking constraint

$$E_t[\delta\tilde{y}_{1t} - \tilde{y}_{1,t+1}] = 0 \tag{3.18}$$

for all $t \geq t_0$, where $\delta < \beta^{-1/2}$. (The path of $\{\tilde{y}_{2t}\}$ can be freely chosen, subject to the bound (3.2).) An initial pre-commitment specifies the value that \tilde{y}_{1,t_0} must have. In the corresponding deterministic problem, constraint (3.18) implies that one must have

$$\tilde{y}_{1,t+1} = \delta\tilde{y}_{1t}$$

for each $t \geq t_0$, and this, together with the pre-commitment, uniquely determines the entire path of the sequence $\{\tilde{y}_{1t}\}$ that must be brought about by deterministic policy. Hence the second-order condition for the deterministic problem requires only that the objective be a concave function of the path of $\{\tilde{y}_{2t}\}$. But if random policies are considered, it is also possible for $\{\tilde{y}_{1t}\}$ to evolve in accordance with any law of motion

$$\tilde{y}_{1,t+1} = \delta\tilde{y}_{1t} + \epsilon_{t+1},$$

where $\{\epsilon_t\}$ is any martingale difference sequence with a suitable bound on its asymptotic variance; in this simple example, the set of possible evolutions $\{\tilde{y}_{1t}\}$ is independent of the evolution chosen for $\{\tilde{y}_{2t}\}$. Whether randomization of the path of $\{\tilde{y}_{1t}\}$ can increase the value of the policy objective obviously depends on terms in the objective involving the path of $\{\tilde{y}_{1t}\}$ (including cross terms), and not just the terms

³⁹Our remarks here apply even in the case that the “fundamental” disturbances $\{\xi_t\}$ are purely deterministic; what matters is whether policy may be contingent upon random events. As is discussed further in Benigno and Woodford (2005a), when the second-order conditions fail to hold, policy randomization can be welfare-improving, even when the random variations in policy are unrelated to any variation in fundamentals.

involving the path of $\{\tilde{y}_{2t}\}$. Hence the conditions required for a concave optimization problem are more stringent in this case.⁴⁰

4 Welfare Evaluation of Alternative Policy Rules

We have argued that another advantage of our approach is that it can be used not only to derive a linear approximation to a fully optimal policy commitment, but also to compute approximate welfare comparisons between alternative rules (neither of which may be fully optimal), that will correctly rank these rules in the case that random disturbances are small enough. Because empirically realistic models are inevitably fairly complex, a fully optimal policy rule is likely to be too complex to represent a realistic policy proposal; hence comparisons among alternative simple (though suboptimal) rules are of considerable practical interest. Here we discuss how this can be done.

We do not propose to simply evaluate (a local approximation to) expected discounted utility V_{t_0} under a candidate policy rule, because the optimal policy locally characterized above (*i.e.*, optimal policy “from a timeless perspective”) does not maximize this objective; hence ranking rules according to this criterion would lead to the embarrassing conclusion that there exist policies better than the optimal policy. (We could, of course, define “optimal policy” as the policy that maximizes V_{t_0} ; but this would result in a time-inconsistent policy recommendation, as noted earlier.) Thus we wish to use a criterion that ranks rules according to how close they come to solving the recursive policy problem defined in section 2.1, rather than how close they come to maximizing V_{t_0} .

Of course, if we restrict our attention to policies that necessarily satisfy the initial pre-commitment (2.4), there is no problem; our optimal rule will be the one that maximizes V_{t_0} , or (in the case of small enough shocks) the one that maximizes $V_{t_0}^Q$. But *simple* policy rules are unlikely to precisely satisfy (2.4); thus in order to be able to select the best rule from some simple class, we need an alternative criterion, one that is defined for *all* policies that are close enough to being optimal, in a sense that is to be defined. At the same time, we wish it to be a criterion the maximization of which implies that one has solved the constrained optimization problem defined in

⁴⁰In the Appendix, we illustrate the application of conditions (i) and (ii) of Lemma 2 to this example.

section 2.1.

Our Lagrangian characterization of optimal policy suggests such a criterion. The timelessly optimal policy from date t_0 onward — that is, the policy that maximizes V_{t_0} subject to the initial constraint (2.4) in addition to the feasibility constraints (2.2)–(2.3) — is also the policy that maximizes the Lagrangian

$$V_{t_0}^{mod} \equiv V_{t_0} + \beta^{-1} \varphi'_{t_0-1} g(y_{t_0-1}, \xi_{t_0-1}; y_{t_0}), \quad (4.1)$$

where φ_{t_0-1} is the vector of Lagrange multipliers associated with the initial constraint (2.4). This is a function that coincides (up to a constant) with the objective V_{t_0} in the case of policies satisfying the constraint (2.4), but that is defined more generally, and that is maximized over the broader class of feasible policies by the timelessly optimal policy. Hence an appropriate criterion to use in ranking alternative policies is the value of $V_{t_0}^{mod}$ associated with each one. This criterion penalizes policies that fail to satisfy the initial pre-commitment (2.4), by exactly the amount by which a previously *anticipated* deviation of that kind would have reduced the expected utility of the representative household.

In the case of any policy that satisfies the feasibility constraints (2.2)–(2.3) for all $t \geq t_0$, we observe that

$$\begin{aligned} V_{t_0}^{mod} &= \bar{\mathcal{L}}_{t_0} + \beta^{-1} \tilde{\varphi}'_{t_0-1} g(y_{t_0-1}, \xi_{t_0-1}; y_{t_0}) \\ &= V_{t_0}^Q + \beta^{-1} \tilde{\varphi}'_{t_0-1} \tilde{g}(y_{t_0-1}, \xi_{t_0-1}; y_{t_0}) + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3) \\ &= V_{t_0}^Q + \beta^{-1} \tilde{\varphi}'_{t_0-1} D_{\hat{y}} g \cdot \tilde{y}_{t_0} + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \end{aligned}$$

This suggests that in the case of small enough shocks, the ranking of alternative policies in terms of $V_{t_0}^{mod}$ will correspond to the ranking in terms of the welfare measure

$$W_{t_0} \equiv V_{t_0}^Q + \beta^{-1} \tilde{\varphi}'_{t_0-1} D_{\hat{y}} g \cdot \tilde{y}_{t_0}. \quad (4.2)$$

Note that in this derivation we have assumed that $\tilde{y}_t = \mathcal{O}(\|\xi\|)$. This will be true in the equilibrium associated with any (sufficiently differentiable) policy rule that is *consistent with the optimal steady state* in the absence of random disturbances. We shall restrict attention to policy rules of this kind. Note that while this is an important restriction, it does not preclude consideration of extremely simple rules; and it is a property of the simple rules of greatest interest, *i.e.*, those that come closest to being optimal among rules of that degree of complexity.

In expression (4.1), and hence in (4.2), φ_{t_0-1} is the Lagrange multiplier associated with constraint (2.4) under the optimal policy. However, in order to evaluate W_{t_0} to second-order accuracy, it suffices to have a first-order approximation to this multiplier. Such an approximation is given by the multiplier $\tilde{\varphi}_{t_0-1}$ associated with the constraint (2.24) of the LQ problem. Thus we need only solve the LQ problem, as discussed in the previous section — obtaining a value for $\tilde{\varphi}_{t_0-1}$ from equation (3.8) — in order to determine the function W_{t_0} . Moreover, we observe that in this solution, $\tilde{\varphi}_{t_0-1} = \mathcal{O}(\|\xi\|)$. Thus a solution for the equilibrium evolution $\{\tilde{y}_t\}$ under a given policy that is accurate to first order suffices to evaluate the second term in (4.2) to second-order accuracy. Hence W_{t_0} inherits this property of $V_{t_0}^Q$, and it suffices to compute a linear approximation to the equilibrium dynamics $\{\tilde{y}_t\}$ under each candidate policy rule in order to evaluate W_{t_0} to second-order accuracy. We can therefore obtain an approximation solution for $\{\tilde{y}_t\}$ under a given policy by solving the linearized structural equations (2.22)–(2.23), together with the policy rule, and use this solution in evaluating W_{t_0} . In this way welfare comparisons among alternative policies are possible, to second-order accuracy, using linear approximations to the model structural relations and a quadratic welfare objective.

Moreover, we can evaluate W_{t_0} to second-order accuracy using only a linear approximation to the policy rule. This has important computational advantages. For example, if we wish to find the optimal policy rule from among the family of simple rules of the form $i_t = \phi(y_t)$, where i_t is a policy instrument, and we are content to evaluate $V_{t_0}^{mod}$ to second-order accuracy, then it suffices to search over the family of linear policy rules⁴¹

$$\tilde{i}_t = f' \tilde{y}_t,$$

parameterized by the vector of coefficients f . There are no possible second-order (or larger) welfare gains resulting from nonlinearities in the policy rule.

It is important to note that these conclusions obtain *only* because we evaluate welfare taking into account the welfare losses that would result from a violation of the initial pre-commitment if it were to have been anticipated. Some would prefer to evaluate alternative simple policy rules by computing the expected value of V_{t_0}

⁴¹Here we restrict attention to rules that are consistent with the optimal steady state, so that the intercept term is zero when the rule is expressed in terms of deviations from steady-state values. Note that a rule without this property will result in lower welfare, in the case of any small enough disturbances.

(rather than $V_{t_0}^{mod}$) associated with each rule (e.g., Schmitt-Grohé and Uribe, 2004c). As noted above, this alternative criterion is one under which the optimal rule from a timeless perspective can be dominated by other rules, a point stressed by Blake (2001) and Jensen and McCallum (2002), among others. The alternative criterion is also one that cannot be evaluated to second-order accuracy using only a first-order solution for the equilibrium evolution under a given policy. For a general feasible policy — consistent with the optimal steady state, but not necessarily consistent with the initial pre-commitment (2.4) — we can show that⁴²

$$V_{t_0} = V_{t_0}^Q - \beta^{-1} \bar{\varphi}' D_{\hat{y}} g \cdot \tilde{y}_{t_0} + \text{t.i.p.} + \mathcal{O}(\|\xi\|^3). \quad (4.3)$$

The first term on the right-hand side of this expression is purely quadratic (has zero linear terms), but this is not true of the second term, if the initial pre-commitment is binding under the optimal policy. Evaluation of the second term to second-order accuracy requires a second-order approximation to the evolution $\{y_t\}$ under the policy of interest; there is thus no alternative to the use of higher-order perturbation solution methods as illustrated by Schmitt-Grohé and Uribe, and nonlinear terms in the policy rule generally matter for welfare.⁴³

In expression (4.2), the value of the multiplier $\tilde{\varphi}_{t_0-1}$ depends on the economy's initial state and on the value of the initial pre-commitment \bar{g}_{t_0} . If we assume a self-consistent constraint (2.5), the solution to (3.8) is given by a linear function⁴⁴

$$\tilde{\varphi}_{t_0-1} = \varphi^*(\mathbf{y}_{t_0-1}), \quad (4.4)$$

⁴²Here we use the more general form of (2.19) mentioned in footnote 29.

⁴³Thus welfare comparisons of the kind proposed by Blake (2001), Jensen and McCallum (2002), or Sauer (2006), in which the implications of a policy rule are computed using the structural equations of a canonical log-linearized New Keynesian model and welfare is evaluated using the canonical quadratic loss function, cannot be justified as representing a quadratic approximation to the expected utility of the representative household in a micro-founded model with Calvo price adjustment. The welfare criterion proposed here can instead be computed using the usual log-linearized structural equations, as is discussed further in Benigno and Woodford (2005a, sec. 5).

⁴⁴One might suppose that the value of the multiplier should also depend on ξ_{t_0} , as \bar{g}_{t_0} does in general. But the form of the last constraint in the recursive problem (2.7) implies that in the solution to this problem, $\bar{g}_{t+1}(\xi_{t+1})$ is chosen so that the value of the multiplier φ_t associated with the initial pre-commitment in the continuation problem is independent of the state ξ_{t+1} , though it may depend on ξ_t . If the initial pre-commitment at date t_0 is chosen in a self-consistent way, it also has this property.

the algebraic form of which is discussed in the Appendix. Then we can write⁴⁵

$$W_{t_0} = W(\tilde{y}; \mathbf{y}_{t_0-1}) \equiv V_{t_0}^Q + \beta^{-1} \varphi^*(\mathbf{y}_{t_0-1})' D_{\tilde{y}} g \cdot \tilde{y}_{t_0}. \quad (4.5)$$

This gives us an expression for our welfare measure purely in terms of the history and subsequent evolution of the extended state vector.

Let us suppose that we are interested in evaluating a policy rule r that implies an equilibrium evolution of the endogenous variables of the form⁴⁶

$$y_t = \phi_r(\mathbf{y}_{t-1}, \xi_t). \quad (4.6)$$

Then given this solution for the evolution $\{y_t\}$, we can evaluate (4.5), obtaining

$$W_{t_0} = W_r(\mathbf{y}_{t_0-1}, \xi_{t_0}).$$

We can do this for any rule r of the assumed type, and hence we can define an optimization problem

$$\max_{r \in \mathcal{R}} W_r(\mathbf{y}_{t_0-1}, \xi_{t_0}) \quad (4.7)$$

in order to determine the optimal rule from among the members of some family of rules \mathcal{R} .

However, the solution to problem (4.7) may well depend on the initial conditions \mathbf{y}_{t_0-1} and ξ_{t_0} for which W_{t_0} is evaluated.⁴⁷ This leads to the possibility of an unappealing degree of arbitrariness of the choice that would be recommended from within some family of simple rules, as well as time inconsistency of the policy recommendation: a rule chosen at date t_0 on the ground that it solves problem (4.7) need not be found to also solve the corresponding problem at some later date, though the calculation at date t_0 assumes that rule r is to be followed forever. One way of avoiding this might be to assume that one should choose the rule that would be judged best in the case of initial conditions consistent with the optimal steady state, whether the

⁴⁵In writing the function $W(\cdot)$, and others that follow, we suppress the argument ξ , as the evolution of the exogenous disturbances is the same in the case of each of the alternative policies under consideration.

⁴⁶This assumption that y_t depends only on the state variables indicated is without loss of generality, as we can extend the vector \mathbf{y}_t if necessary in order for this to be so.

⁴⁷This is not a problem if the family of rules \mathcal{R} includes a fully optimal rule r^* , since the same rule r^* solves the problem (2.7) for all possible values of the initial conditions. But the result can easily depend on the initial conditions if we restrict attention to a family of suboptimal rules.

economy's actual initial state is that one or not;⁴⁸ that is, one would choose the rule that solves the problem

$$\max_{r \in \mathcal{R}} W_r(\bar{\mathbf{y}}, 0).$$

This choice would not be time-inconsistent, but the choice is still an arbitrary one. In particular, the decision to evaluate W_r assuming initial conditions consistent with the steady state — when in fact the state of the economy will fluctuate on both sides of the steady-state position — favors rules r for which W_r is a less concave function of the initial condition.

The criterion that we find most appealing is accordingly to integrate over a distribution of possible initial conditions, rather than evaluating W_r at the economy's actual state at the time of the choice, or at any other single state (such as the optimal steady state). Suppose that in the case of the optimal policy rule r^* , the laws of motion (2.8) and (4.6) imply that the evolution of the extended state vector $\{\mathbf{y}_t\}$ is *stationary*.⁴⁹ In this case, there exists a well-defined invariant (or unconditional) probability distribution μ for the possible values of \mathbf{y}_t under the optimal policy.⁵⁰ Then we can define the optimal policy rule within some class of simple rules \mathcal{R} as the one that solves the problem

$$\max_{r \in \mathcal{R}} E_\mu[\bar{W}_r(\mathbf{y}_t)], \quad (4.8)$$

where⁵¹

$$\bar{W}_r(\mathbf{y}_t) \equiv E_t W_r(\mathbf{y}_t, \xi_{t+1}). \quad (4.9)$$

Because of the linearity of our approximate characterization of optimal policy, the calculations required in order to evaluate $E_\mu[W_r]$ to second-order accuracy are straightforward; these are illustrated in Benigno and Woodford (2005a, sec. 5).

The most important case in which the method just described cannot be applied is when some of the elements of $\{\mathbf{y}_t\}$ possess unit roots, though all elements are at

⁴⁸This approach is proposed by Schmitt-Grohé and Uribe (2004c), though they use V_{t_0} rather than $V_{t_0}^{mod}$ as the criterion to be maximized.

⁴⁹Benigno and Woodford (2005a) provide an example of an optimal monetary stabilization policy problem in which this is case.

⁵⁰We discuss the computation of the relevant properties of this invariant measure in the Appendix.

⁵¹Recall that we assume that the exogenous disturbance process $\{\xi_t\}$ is Markovian, and that ξ_t is included among the elements of \mathbf{y}_t . Hence \mathbf{y}_t contains all relevant elements of the period t information set for the calculation of this conditional expectation.

least difference-stationary (and some of the non-stationary elements may be cointegrated).⁵² We can in this case decompose the extended state vector as

$$\mathbf{y}_t = \mathbf{y}_t^{tr} + \mathbf{y}_t^{cyc},$$

where

$$\mathbf{y}_t^{tr} \equiv \lim_{T \rightarrow \infty} E_t[\mathbf{y}_T - (T - t)\gamma]$$

is the Beveridge-Nelson (1981) “trend” component, using the notation $\gamma \equiv E[\Delta \mathbf{y}]$ for the vector of unconditional means of the first differences, and the “cyclical” component \mathbf{y}_t^{cyc} will still be a stationary process. Moreover, the evolution of the cyclical component as a function of the exogenous disturbances under the optimal policy will be independent of the assumed initial value of the trend component (though not of the initial value of the cyclical component). It follows that we can define an invariant distribution μ for the possible values of \mathbf{y}_t^{cyc} under the optimal policy, that is independent of the assumed value for the trend component. Then for any assumed initial value for the trend component $\mathbf{y}_{t_0-1}^{tr}$, we can define the optimal policy rule within the class \mathcal{R} as the one that solves the problem

$$\max_{r \in \mathcal{R}} \Omega_r(\mathbf{y}_{t_0-1}^{tr}) \equiv E_\mu[\bar{W}_r(\mathbf{y}_{t_0-1})], \quad (4.10)$$

a generalization of (4.8).⁵³

It might seem in this case that our criterion is again dependent on initial conditions, just as with the criterion (4.7) proposed first. But in fact one can show that

$$\Omega_r(\mathbf{y}_{t_0-1}^{tr}) = \Omega^1(\mathbf{y}_{t_0-1}^{tr}) + \Omega_r^2, \quad (4.11)$$

where the first component is the same for all rules of the kind that we consider, while the second component is independent of the initial condition $\mathbf{y}_{t_0-1}^{tr}$. Hence the criterion (4.10) establishes the same ranking of alternative rules, regardless of the initial condition.

⁵²Benigno and Woodford (2003) provide an example of an optimal stabilization policy problem in which the LQ approximate problem has this property. In this example, the unit root is associated with the dynamics of the level of real public debt, which display a unit root under optimal policy for the same reason as in the classic analysis of optimal tax smoothing by Barro (1979) and Sargent (1987, chap. XV).

⁵³In the case that all elements of \mathbf{y}_t are stationary, \mathbf{y}_t^{tr} is simply a constant, and all variations in \mathbf{y}_t correspond to variations in \mathbf{y}_t^{cyc} . In this case, (4.10) is equivalent to the previous criterion (4.8).

We can show this as follows. In accordance with our previous discussion, we restrict attention to a class of rules \mathcal{R} with the property that each rule in the class implies convergence to the same long-run values of the state variables as under optimal policy, in the absence of stochastic disturbances. Because we analyze the dynamics under a given policy using a linearized version of the structural relations, certainty-equivalence obtains, and it follows that the limiting behavior (as $T \rightarrow \infty$) of the long-run forecast $E_{t_0}[\mathbf{y}_T]$ must also be the same under any rule $r \in \mathcal{R}$, given the initial conditions \mathbf{y}_{t_0-1} . Thus given these initial conditions, the decomposition of the initial extended state vector into components $\mathbf{y}_{t_0-1}^{tr}$ and $\mathbf{y}_{t_0-1}^{cyc}$ is the same under any rule $r \in \mathcal{R}$. Hence all elements of the vector

$$z_{t_0-1} \equiv \begin{bmatrix} 1 \\ \mathbf{y}_{t_0-1}^{tr} \\ \mathbf{y}_{t_0-1}^{cyc} \end{bmatrix}$$

are given as initial conditions, independent of the choice of policy rule.

In the case of the evolution $\{\tilde{y}_t\}$ implied by any policy rule r , let us furthermore consider the decomposition

$$\tilde{y}_t = \bar{y}_t + y_t^\dagger,$$

where $\{\bar{y}_t\}$ is the deterministic sequence

$$\bar{y}_t \equiv E_{t_0-1} \tilde{y}_t$$

and y_t^\dagger is the component of \tilde{y}_t that is unforecastable as of date $t_0 - 1$. Then if we evaluate

$$\bar{W}(\tilde{y}; z_{t_0-1}) \equiv E_{t_0-1} W(\tilde{y}; \mathbf{y}_{t_0-1}, \xi_{t_0})$$

under this evolution, we find that

$$\bar{W}(\tilde{y}; z_{t_0-1}) = \bar{W}(\bar{y}; z_{t_0-1}) + \bar{W}(y^\dagger; z_{t_0-1}). \quad (4.12)$$

Here all the cross terms in the quadratic form have conditional expectation zero because \bar{y} is deterministic while y^\dagger is unforecastable.

Moreover, under any rule r , the value of y_t^\dagger is a linear function of the sequence of unexpected shocks between periods t_0 and t , that is independent of the initial state. (This independence follows from the linearity of the law of motion (4.6), under the

linear approximation that we use to solve for the equilibrium dynamics under a given policy rule.) Hence the second term on the right-hand side of (4.12),⁵⁴

$$\bar{W}(y^\dagger; z_{t_0-1}) = E_{t_0-1} V_{t_0}^Q(y^\dagger; \xi),$$

is independent of the initial state z_{t_0-1} as well. (Let \bar{W}_r^2 denote the value of this expression associated with a given rule r .)

Instead, the value of \bar{y}_t will be a linear function of z_{t_0-1} , again as a result of the linearity of (4.6). And in our LQ problem with a self-consistent initial pre-commitment, the function (4.4) is linear as well. It follows that the first term on the right-hand side of (4.12) is a quadratic function of z_{t_0-1} ,

$$\bar{W}(\bar{y}; z_{t_0-1}) = z'_{t_0-1} X_r z_{t_0-1},$$

where the subscript r indicates that the matrix of coefficients X_r can depend on the policy rule that is chosen. If we furthermore partition the extended state vector

$$z_t = \begin{bmatrix} z_t^1 \\ z_t^2 \end{bmatrix}, \quad z_t^1 \equiv \begin{bmatrix} 1 \\ \mathbf{y}_t^{tr} \end{bmatrix}, \quad z_t^2 \equiv \begin{bmatrix} \mathbf{y}_t^{cyc} \end{bmatrix},$$

and partition the rows and columns of the matrix X_r conformally, then we observe that

$$E_\mu[\bar{W}(\bar{y}; z_{t_0-1})] = z_{t_0-1}^{1'} X_{r,11} z_{t_0-1}^1 + E_\mu[z^{2'} X_{r,22} z^2], \quad (4.13)$$

using the fact that $E_\mu[z^2] = 0$.

Finally, we observe that under any rule r , the linearity of the law of motion (4.6) implies that conditional forecasts of the evolution of the endogenous variables take the form

$$E_{t_0-1} y_T = y_{t_0-1}^{tr} + (T + 1 - t_0)\gamma + B_{T+1-t_0} \mathbf{y}_{t_0-1}^{cyc},$$

where the sequence of matrices $\{B_j\}$ may depend on the rule r , but the first two terms on the right-hand side (the terms linear in the elements of $z_{t_0-1}^1$ as opposed to the elements of $z_{t_0-1}^2$) are the same for all rules. Using this solution for the sequence \bar{y} to evaluate $\bar{W}(\bar{y}; z_{t_0-1})$, we find that the matrix of coefficients $X_{r,11}$ in (4.13) is independent of r , and so can be denoted simply X_{11} . Thus if we integrate (4.12) over the invariant distribution μ , we obtain

$$E_\mu[\bar{W}_r(\mathbf{y}_{t_0-1})] = z_{t_0-1}^{1'} X_{11} z_{t_0-1}^1 + E_\mu[z^{2'} X_{r,22} z^2] + \bar{W}_r^2,$$

⁵⁴Here the expected value of the second term on the right-hand side of (4.5) vanishes because of the unforecastability of $y_{t_0}^\dagger$.

which is precisely a decomposition of the asserted form (4.11). This proves that the criterion (4.10) establishes the same ranking of alternative rules, regardless of the initial condition.

5 Applications

The approach expounded here has already proven fruitful in a number of applications to problems of optimal monetary and fiscal policy. Benigno and Woodford (2005a) use this method to derive an LQ approximation to the problem of optimal monetary stabilization policy in a DSGE model with monopolistic competition, Calvo-style staggered price-setting, and a variety of exogenous disturbances to preferences, technology, and fiscal policy. Unlike the method used by Rotemberg and Woodford (1997) and Woodford (2002), the present method is applicable even in the case of (possibly substantial) distortions even in the absence of shocks, owing to market power or distorting taxes. The quadratic stabilization objective obtained is of the form

$$-\frac{1}{2}E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \left[q_{\pi} \pi_t^2 + q_y (\hat{Y}_t - \hat{Y}_t^*)^2 \right], \quad (5.1)$$

where π_t is the inflation rate between periods $t - 1$ and t , \hat{Y}_t is the log deviation of aggregate real output from trend, \hat{Y}_t^* is a target level of output that depends purely on the exogenous real disturbances, $0 < \beta < 1$ is the representative household's discount factor, and the weights q_{π}, q_y are functions of model parameters (both positive if steady-state distortions are not severe). The single linear constraint corresponds to the familiar “new Keynesian Phillips curve,”

$$\pi_t = \kappa[\hat{Y}_t - \hat{Y}_t^*] + \beta E_t \pi_{t+1} + u_t, \quad (5.2)$$

where $\kappa > 0$ is a function of model parameters and the “cost-push” term u_t is a linear function of the various exogenous real disturbances.

The resulting LQ problem is of a form that has already been extensively studied in the literature on optimal monetary stabilization policy,⁵⁵ and so the ways in which the parameterization of the objective and constraint shape the character of optimal policy is well understood once the problem is stated in this form. The analysis in Benigno

⁵⁵See, e.g., , Clarida *et al.* (1999) and Woodford (2003, chap. 7).

and Woodford (2005a), however, explains the microeconomic determinants of these factors. For example, it provides an interpretation of the “cost-push” disturbances that play a crucial role in familiar discussions of the tradeoffs between inflation and output stabilization, and shows that the cost-push effects of most types of shocks are larger the more distorted is the economy’s steady state; and it explains the relative weight that should be assigned to the output-gap stabilization objective, showing that this need not be positive in the case of a sufficiently distorted economy. (Indeed, if distortions are severe, the quadratic objective can fail to be concave, so that a small amount of policy randomization can be welfare-improving.) Benigno and Woodford (2005b) extend the analysis to the case in which both wages and prices are sticky, obtaining a generalization of (5.1) in which a third quadratic loss term appears, proportional to squared deviations of nominal wage inflation from zero. This shows that the analysis by Erceg *et al.* (2000) of the tradeoff between stabilization of wage inflation and price inflation applies also to economies with distorted steady states, though the policy tradeoffs are complicated by the presence of cost-push terms that do not appear in those authors’ analysis of the case of an undistorted steady state.

An important limitation of the LQ method of Rotemberg and Woodford (1997), that restricts attention to cases in which the utility gradient is zero in the steady state, is that it cannot easily be applied to analyses of optimal policy for open economies; for in an open economy, domestic production and consumption cannot be equated, and the marginal utility associated with a change in either individually will inevitably be non-zero in any reasonable case. The method proposed here instead allows LQ analyses of optimal policy also in the case of open economies.

Benigno and Benigno (2006) analyze policy coordination between two national monetary authorities which each seek to maximize the welfare of their own country’s representative household, and show that it is possible to locally characterize each authority’s aims by a quadratic stabilization objective. Previous LQ analyses of policy coordination have often assumed an objective of the form (5.1) for each national authority, but with the nation’s own inflation rate and output being the arguments in each case. Benigno and Benigno instead show that household utility maximization would correspond to a quadratic objective for each authority with terms penalizing fluctuations in *both* domestic and foreign inflation (but with different weights on the two terms for the distinct national authorities), and similarly with terms penalizing fluctuations in both domestic and foreign output (again with different weights in

the case of the two authorities). They also show that each authority's stabilization objective should contain a term penalizing departures of the terms of trade from a "target" level (that depends on exogenous disturbances), and show how both the weight placed on this additional objective and the nature of variation in the terms of trade "target" depend on underlying micro-foundations. De Paoli (2004) similarly shows how the analysis of Benigno and Woodford (2005a) can be extended to a small open economy, requiring the addition of a terms-of-trade (or real-exchange-rate) stabilization objective to the two terms shown in (5.1).

Another advantage of the fact that the present method applies to economies with a distorted steady state is that it can be used to analyze optimal tax smoothing when only distorting taxes are available as sources of government revenue, after the fashion of Barro (1979) and Sargent (1987, chap. XV), and allows the theory of tax smoothing to be integrated with the theory of monetary stabilization policy. Benigno and Woodford (2003) extend the analysis of Benigno and Woodford (2005a) to the case of an economy with only distorting taxes, and show that the problem of choosing jointly optimal monetary and fiscal policies can also be treated within an LQ framework that nests standard analyses of tax smoothing (with flexible prices, so that real effects of monetary policy are ignored) and of monetary policy (with lump-sum taxes, so that fiscal effects of monetary policy can be ignored) as special cases. Notably, they find that allowing for tax distortions introduces no additional stabilization goals into the quadratic objective (5.1). Instead, the benefits of tax smoothing are represented by the penalty on squared departures of equilibrium output from its "target" level; tax variations can increase the average size of this term, because of the effects of the level of distorting taxes on equilibrium output (which occur due to a "cost-push" effect of tax rates in the generalized version of the constraint (5.2)). Benigno and De Paoli (2005) extend this analysis to treat optimal monetary and fiscal policy in a small open economy, while Ferrero (2005) analyzes optimal monetary and fiscal policy in a monetary union with separate national fiscal authorities.

All of the analyses just mentioned involve fairly simple DSGE models, in which it is possible to derive the coefficients of the LQ approximate policy problem by hand. In the case of larger (and more realistic) models of the kind that are now being estimated for use in practical policy analysis, such calculations are likely to be tedious. Nonetheless, it is an advantage of our method that it is straightforward to apply it even to fairly complex models and fairly general specifications of disturbances. Al-

tissimo *et al.* (2005) describe computer code that executes the calculations explained above, for a general nonlinear problem with an arbitrary number of state variables, and demonstrate its application to two important extensions of the work described above, an analysis of optimal monetary policy in the presence of non-trivial frictions of the kind that result in a transactions demand for money, and an analysis of optimal monetary policy for the empirical model of Smets and Wouters. We believe that the availability of this code will make it practical to apply these methods to a wide variety of other models of interest to policy institutions.

A Appendix: Proofs and Derivations

A.1 Proposition 1

Recall that \mathcal{H} is the Hilbert space of (real-valued) stochastic processes $\{\tilde{y}_t\}$ such that

$$E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \tilde{y}'_t \tilde{y}_t < \infty, \quad (\text{A.1})$$

and $\mathcal{H}_1 \subset \mathcal{H}$ is the subspace of sequences $\psi \in \mathcal{H}$ that satisfy the additional constraints

$$C(L)\psi_t = 0 \quad (\text{A.2})$$

$$E_t D(L)\psi_{t+1} = 0 \quad (\text{A.3})$$

for each date $t \geq t_0$, along with the initial commitments

$$D(L)\psi_{t_0} = 0, \quad (\text{A.4})$$

where we define $\psi_{t_0-1} \equiv 0$ in writing (A.2) for period $t = t_0$ and in writing (A.4).

Proposition 1 *For $\{\tilde{y}_t\} \in \mathcal{H}$ to maximize the quadratic form (2.21), subject to the constraints (2.22) – (2.24) given initial conditions \tilde{y}_{t_0-1} and \bar{g}_{t_0} , it is necessary and sufficient that (i) there exist Lagrange multiplier processes⁵⁶ $\tilde{\varphi}, \tilde{\lambda} \in \mathcal{H}$ such that the processes $\{\tilde{y}_t, \tilde{\varphi}_t, \tilde{\lambda}_t\}$ satisfy (3.1) for each $t \geq t_0$; and (ii)*

$$V^Q(\psi) \equiv V_{t_0}^Q(\psi; 0) = \frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\psi'_t A(L)\psi_t] \leq 0 \quad (\text{A.5})$$

for all processes $\psi \in \mathcal{H}_1$, where in evaluating (A.5) we define $\psi_{t_0-1} \equiv 0$. A process $\{\tilde{y}_t\}$ with these properties is furthermore uniquely optimal if and only if

$$V^Q(\psi) < 0 \quad (\text{A.6})$$

for all processes $\psi \in \mathcal{H}_1$ that are non-zero almost surely.

⁵⁶Note that $\tilde{\varphi}_t$ is also assumed to be defined for $t = t_0 - 1$.

PROOF: We have already remarked on the necessity of the first-order conditions (i). To prove the necessity of the second-order condition (ii) as well, let $\{\tilde{y}_t\} \in \mathcal{H}$, and consider the the perturbed process

$$\hat{y}_t = \tilde{y}_t + \psi_t \quad (\text{A.7})$$

for all $t \geq t_0 - 1$, where $\{\psi_t\}$ belongs to \mathcal{H}_1 and we define $\psi_{t_0-1} \equiv 0$. This construction guarantees that if the process $\{\tilde{y}_t\}$ satisfies the constraints (2.22) – (2.24), so does the process $\{\hat{y}_t\}$.

We note that

$$\begin{aligned} V_{t_0}^Q(\hat{y}; \xi) &= V_{t_0}^Q(\tilde{y}; \xi) + \frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\psi'_t A(L) \tilde{y}_t + \tilde{y}'_t A(L) \psi_t + 2\psi'_t B(L) \xi_{t+1}] \\ &\quad + \frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} [\psi'_t A(L) \psi_t]. \end{aligned}$$

The second term on the right-hand side is furthermore equal to

$$\begin{aligned} &\frac{1}{2} E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \psi'_t \cdot \{ [A(L) + A'(\beta L^{-1})] \tilde{y}_t + 2B(L) \xi_{t+1} \} \\ &= -E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \psi'_t \cdot \{ C'(\beta L^{-1}) \tilde{\lambda}_t + \beta^{-1} D'(\beta L^{-1}) \tilde{\varphi}_{t-1} \} \\ &= -E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \{ \tilde{\lambda}'_t C(L) \psi_t + \beta^{-1} \tilde{\varphi}'_{t-1} D(L) \psi_t \}, \end{aligned}$$

where we use the first-order conditions (3.1) to establish the first equality, and conditions (3.10) – (3.12) to establish the final equality.

Thus for any feasible process \tilde{y} and any perturbation (A.7) defined by a process ψ belonging to \mathcal{H}_1 ,

$$V_{t_0}^Q(\hat{y}; \xi) = V_{t_0}^Q(\tilde{y}; \xi) + V^Q(\psi). \quad (\text{A.8})$$

It follows that if there were to exist any $\psi \in \mathcal{H}_1$ for which $V^Q(\psi) > 0$, the plan \tilde{y} could not be optimal. But as this is true regardless of what plan \tilde{y} may be, (A.5) is necessary for optimality. Furthermore, if there were to exist a non-zero ψ for which $V^Q(\psi) = 0$, it would be possible to construct a perturbation \hat{y} (not equal to \tilde{y} almost surely at all dates) that would achieve an equally high level of welfare. Hence the

stronger version of the second-order conditions (A.6) must hold for all ψ not equal to zero almost surely, in order for $\{\tilde{y}_t\}$ to be a unique optimum.

One easily sees from the same calculation that these conditions are also sufficient for an optimum. Let $\{\tilde{y}_t\}$ be a process consistent with the constraints of the LQ problem. Then any alternative process $\{\hat{y}_t\}$ that is also consistent with those constraints can be written in the form (A.7), where ψ is some element of \mathcal{H}_1 . If the first-order conditions (3.1) are satisfied by the process $\{\tilde{y}_t\}$, we can again establish (A.8). Condition (A.5) then implies that no alternative process is preferable to $\{\tilde{y}_t\}$, while (A.6) would imply that $\{\tilde{y}_t\}$ is superior to any alternative that is not equal to \tilde{y} almost surely.

A.2 Lemma 2

Lemma 2 *The second-order condition for the previous optimization problem is satisfied — i.e., (A.6) is satisfied by all processes $\psi \in \mathcal{H}_1$ that are non-zero almost surely — if and only if (i) every northwest principal minor of the bordered Hermitian matrix*

$$\bar{M}(\theta) \equiv M(e^{-i\theta}, e^{i\theta}) \quad (\text{A.9})$$

of order $p > 2(n_F + n_g)$ has the same sign as $(-1)^{p-n_F-n_g}$ for all $-\pi \leq \theta \leq \pi$; and (ii) in the case that $n_g > 0$, J_{11} , the $n_g \times n_g$ upper left block of the matrix

$$J \equiv \sum_{j=1}^{\infty} T'^j [S'(A_0 + A'_0)S + \beta^{1/2}T'S'A_1S + \beta^{1/2}S'A'_1ST]T^j \quad (\text{A.10})$$

is negative definite, i.e., for each $1 \leq p \leq n_g$, the northwest principal minor of J of order p has the same sign as $(-1)^p$. Here A_0, A_1 are the matrices such that $A(L) = A_0 + A_1L$, and

$$S \equiv [0 \ I]$$

is the $n_y \times (n_g + n_y)$ matrix that selects the last n_y elements of a vector of length $n_g + n_y$, and T is the matrix in (3.7).

PROOF: (1) We first show that (A.6) is equivalent to the negative definiteness of a corresponding quadratic form defined for deterministic sequences. Let $\bar{\mathcal{H}}$ be

the Hilbert space of complex-valued n_y -vector sequences $\{\bar{\psi}_t\}$, with the respective complex conjugate $\{\bar{\psi}_t^\dagger\}$, such that

$$\sum_{t=t_0}^{\infty} \beta^{t-t_0} (\bar{\psi}_t^\dagger) \bar{\psi}_t < \infty. \quad (\text{A.11})$$

It will sometimes be convenient to associate with any sequence $\{\bar{\psi}_t\}$ in $\bar{\mathcal{H}}$ a rescaled sequence $\{\hat{\psi}_t\}$ defined by

$$\hat{\psi}_t = \beta^{\frac{t-t_0}{2}} \bar{\psi}_t \quad (\text{A.12})$$

for each $t \geq t_0$. In this alternative representation, $\bar{\mathcal{H}}$ corresponds to the space of sequences $\{\bar{\psi}_t\}$ such that

$$\sum_{t=t_0}^{\infty} \hat{\psi}_t^\dagger \hat{\psi}_t < \infty,$$

so that it is clear that $\bar{\mathcal{H}}$ is a Hilbert space. Moreover, let $\bar{\mathcal{H}}_1$ be the subspace of $\bar{\mathcal{H}}$ consisting of sequences that in addition satisfy

$$C(L)\bar{\psi}_t = 0 \quad (\text{A.13})$$

$$D(L)\bar{\psi}_{t+1} = 0 \quad (\text{A.14})$$

for all $t \geq t_0$,⁵⁷ where in the interpretation of condition (A.13) at date t_0 we use the definition

$$\bar{\psi}_{t_0-1} \equiv 0. \quad (\text{A.15})$$

Then we shall establish that (A.6) holds for all (real-valued) stochastic processes $\{\psi_t\} \in \mathcal{H}_1$ that are not equal to zero at all times almost surely, if and only if

$$\bar{V}^Q(\bar{\psi}) \equiv \frac{1}{4} \sum_{t=t_0}^{\infty} \hat{\psi}_t^\dagger [A(\beta^{\frac{1}{2}}L) + A'(\beta^{\frac{1}{2}}L^{-1})] \hat{\psi}_t < 0 \quad (\text{A.16})$$

for any complex-valued (deterministic) sequences $\{\bar{\psi}_t\} \in \bar{\mathcal{H}}_1$ that are not equal to zero at all times. (Here we have written the definition of \bar{V}^Q in terms of the $\hat{\psi}$ representation of any sequence $\bar{\psi}$, in order to make it clear that the quadratic form is Hermitian, and as a preparation for application of the results of Telser and Graves, 1972. Again we use (A.15) in the definition (A.16).)

⁵⁷Note that in the definition of the subspace $\bar{\mathcal{H}}_1$, we do not require that a condition analogous to (A.4) be satisfied.

Note that in the case of a *real-valued* deterministic sequence $\{\bar{\psi}_t\}$, (A.16) can equivalently be written in the form

$$\bar{V}^Q(\bar{\psi}) = \frac{1}{2} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \bar{\psi}_t^{\dagger} A(L) \bar{\psi}_t < 0. \quad (\text{A.17})$$

This is then obviously just the second-order condition (A.6) for the special case of a deterministic sequence. Condition (A.16) is an extension of the quadratic form \bar{V}^Q to complex-valued sequences, in a way that implies that $\bar{V}^Q(\bar{\psi})$ is real-valued even when $\bar{\psi}$ is complex-valued. The statement of condition (A.16) in terms of a quadratic form defined for complex-valued sequences allows us to apply the results set out in Telser and Graves (1972).

(2) We begin by showing that (A.6) holding for all nonzero elements of \mathcal{H}_1 implies that (A.16) must hold for all nonzero elements of $\bar{\mathcal{H}}_1$. We show this by contradiction. Suppose instead that there exists a sequence of vectors $\{\bar{\psi}_t\} \in \bar{\mathcal{H}}_1$, not equal to zero at all dates, for which (A.16) does not hold. If a complex-valued vector sequences of this kind exist, we can also find a real-valued vector sequence. For any $\bar{\psi} \in \bar{\mathcal{H}}_1$ can be written as

$$\bar{\psi} = \bar{\psi}^{re} + i\bar{\psi}^{im},$$

where $\bar{\psi}^{re}, \bar{\psi}^{im}$ are real-valued sequences, and it can be shown that $\bar{\psi}^{re}, \bar{\psi}^{im}$ are both real-valued elements of $\bar{\mathcal{H}}_1$. Furthermore, one observes that given the symmetry of the quadratic form defined in (A.16),

$$\bar{V}^Q(\bar{\psi}) = \bar{V}^Q(\bar{\psi}^{re}) + \bar{V}^Q(\bar{\psi}^{im}).$$

Then as by hypothesis $\bar{V}^Q(\bar{\psi}) \leq 0$, it follows that $\bar{V}^Q \leq 0$ for at least one of the real-valued sequences as well. Thus we may assume without loss of generality that $\bar{\psi}$ is a real-valued sequence.

Then we can define a real-valued sunspot process $\psi_{t_0} = 0$, and $\psi_t = \sigma_{t_0+1} \bar{\psi}_{t-1}$ for all $t \geq t_0 + 1$, where σ_{t_0+1} is an independently distributed sunspot variable, realized at date $t_0 + 1$, and taking the value -1 or 1, each with probability 1/2. Then the process $\{\psi_t\}$ satisfies (A.1), is not almost surely equal to zero at all times, satisfies (A.2)–(A.3) for all $t \geq t_0$, and satisfies (A.4), but is such that the left-hand side of (A.6) is greater than or equal to zero. Thus (A.6) would not hold for all processes $\psi \in \mathcal{H}_1$. It follows that if (A.6) holds for all nonzero elements of \mathcal{H}_1 , (A.17) must hold for all nonzero complex-valued sequences $\bar{\psi} \in \bar{\mathcal{H}}_1$.

(3) Conversely, one can also show that (A.17) holding for all nonzero elements of $\bar{\mathcal{H}}_1$ implies that (A.6) must hold for all nonzero elements of \mathcal{H}_1 . Let any process $\psi \in \mathcal{H}_1$ be decomposed as

$$\psi_t = \sum_{j=0}^{t-t_0} \psi_t^{(j)},$$

where $\psi_t^{(0)} \equiv E_{t_0} \psi_t$ and $\psi_t^{(j)} \equiv E_{t_0+j} \psi_t - E_{t_0+j-1} \psi_t$, for each $j \geq 1$. Note that this implies that $\psi_t^{(j)} = 0$ for all $t_0 \leq t < t_0 + j$, and that the entire sequence $\{\psi_t^{(j)}\}$ is known with certainty at date $t_0 + j$. It then follows that

$$E_{t_0} \psi_t \psi_{t-k}' = \sum_{j=0}^{t-t_0-k} E_{t_0} \psi_t^{(j)} \psi_{t-k}^{(j)'} \quad (\text{A.18})$$

for any $0 \leq k \leq t - t_0$, from which it follows that if the process $\{\psi_t\}$ satisfies (A.1), the process $\{\psi_t^{(j)}\}$ must also satisfy (A.1), for each $j \geq 0$. This in turn implies that for any j , the sequence of values $\{\psi_t^{(j)}\}$ for $t \geq t_0 + j$ conditional upon reaching a particular state of the world⁵⁸ h_{t_0+j} at date $t_0 + j$ satisfies (A.11) almost surely.⁵⁹

Now for any $j \geq 0$ and any possible state of the world h_{t_0+j} , let us define the sequence $\bar{\psi}^{(j)}(h_{t_0+j})$ by $\bar{\psi}_t^{(j)} = \psi_{t+j}^{(j)}$ for all $t \geq t_0$, where the value of $\psi_{t+j}^{(j)}$ is the one conditional on that state of the world in period $t_0 + j$. Then the fact that (by hypothesis) the process ψ satisfies (A.2)–(A.3) for all $t \geq t_0$ implies that the sequence $\bar{\psi}^{(j)}(h_{t_0+j})$ satisfies (A.13) and (A.14). Thus for each $j \geq 0$, the sequence $\bar{\psi}^{(j)}(h_{t_0+j})$ belongs almost surely to $\bar{\mathcal{H}}_1$. Furthermore, there exists at least one j for which $\bar{\psi}^{(j)}(h_{t_0+j})$ is not almost surely equal to zero.

It then follows from (A.18) that

$$V^Q(\psi) = \sum_{j=0}^{\infty} \beta^j E_{t_0} \bar{V}^Q(\bar{\psi}^{(j)}(h_{t_0+j})), \quad (\text{A.19})$$

where (as each sequence $\bar{\psi}^{(j)}$ is real-valued) \bar{V}^Q is defined as in (A.17). Since by hypothesis (A.16) holds for all non-zero elements of $\bar{\mathcal{H}}_1$, (A.17) also holds for all non-zero real-valued elements of that space. Thus $\bar{V}^Q(\bar{\psi}^{(j)}(h_{t_0+j})) \leq 0$ for each j and

⁵⁸Here we identify a state of the world by the history $h_{t_0+j} \equiv (\xi_{t_0+1}, \dots, \xi_{t_0+j})$ associated with it.

⁵⁹Here the “almost surely” refers to the *ex ante* probability distribution over possible states of the world at date $t_0 + j$.

each possible state of the world, and the inequality is strict in the case of those j and those states h_{t_0+j} (which must include states that occur with positive probability at at least one date) for which $\bar{\psi}^{(j)}(h_{t_0+j}) \neq 0$. Thus the sum on the right-hand side of (A.19) must be negative, from which it follows that ψ satisfies (A.6), as was to be proven.

(4) Our problem thus reduces to a search for necessary and sufficient conditions under which (A.16) must be satisfied by all nonzero complex-valued sequences $\bar{\psi} \in \bar{\mathcal{H}}_1$. We begin by considering the simpler problem of establishing conditions under which (A.16) holds for all nonzero sequences $\bar{\psi} \in \bar{\mathcal{H}}_2$, where $\bar{\mathcal{H}}_2$ is the subspace of $\bar{\mathcal{H}}_1$ consisting of those sequences that also satisfy (A.14) for $t = t_0 - 1$, again under the definition (A.15). Since $\bar{\mathcal{H}}_2$ is a proper subspace of $\bar{\mathcal{H}}_1$, necessary conditions for this problem are also necessary for the problem of interest to us, though sufficient conditions are not necessarily sufficient.

The space $\bar{\mathcal{H}}_2$ can alternatively be described as the subspace of $\bar{\mathcal{H}}$ consisting of all sequences that satisfy (A.13) and

$$D(L)\bar{\psi}_t = 0 \tag{A.20}$$

for all $t \geq t_0$. These are the purely backward-looking constraints of a standard optimal control problem, and we can apply the results of Telser and Graves (1972). (Condition (3.15) implies that the constraints of this backward-looking problem satisfy the regularity condition assumed by Telser and Graves.)

Using the transformation (A.12), the objective \bar{V}^Q can be alternatively defined as in (A.16), and the constraints (A.13) and (A.20) written in the form

$$\begin{aligned} C(\beta^{1/2}L)\hat{\psi}_t &= 0, \\ D(\beta^{1/2}L)\hat{\psi}_t &= 0 \end{aligned}$$

for all $t \geq t_0$. Then by Theorems 5.1 and 5.3 of Telser and Graves, the second-order condition for the deterministic optimal control problem with these backward-looking constraints is satisfied — *i.e.*, (A.16) is satisfied by all non-zero complex-valued sequences $\bar{\psi} \in \bar{\mathcal{H}}_2$ — if and only if every northwest principal minor of the bordered Hermitian matrix

$$M^*(\theta) \equiv \begin{bmatrix} 0 & 0 & C(\beta^{\frac{1}{2}}e^{-i\theta}) \\ 0 & 0 & D(\beta^{\frac{1}{2}}e^{-i\theta}) \\ C'(\beta^{\frac{1}{2}}e^{i\theta}) & D'(\beta^{\frac{1}{2}}e^{i\theta}) & \frac{1}{2}[A(\beta^{\frac{1}{2}}e^{-i\theta}) + A'(\beta^{\frac{1}{2}}e^{i\theta})] \end{bmatrix}$$

of order $p > 2(n_F + n_g)$ has the same sign as $(-1)^{p-n_F-n_g}$ for all $-\pi \leq \theta \leq \pi$.

The matrix $M^*(\theta)$ differs from $\bar{M}(\theta)$, defined in (A.9), only that in $\bar{M}(\theta)$ the middle block of rows have each been multiplied by $\beta^{-1/2}e^{i\theta}$, and each of the middle block of columns have been multiplied by $\beta^{-1/2}e^{-i\theta}$. The first change multiplies each principal minor by a factor $(\beta^{-1/2}e^{i\theta})^{n_g}$, but the second change multiplies each of them by a factor $(\beta^{-1/2}e^{-i\theta})^{n_g}$, so that the net effect is a multiplication by β^{-n_g} , regardless of the value of θ . Hence the signs of the principal minors of $M^*(\theta)$ are the same as those of the principal minors of $\bar{M}(\theta)$, for all θ , and the condition just stated holds if and only if condition (i) of the lemma holds. Hence condition (i) is necessary and sufficient for (A.16) to be satisfied by all nonzero complex-valued sequences $\bar{\psi} \in \bar{\mathcal{H}}_2$.

(5) It has been shown that condition (i) is a necessary condition for (A.16) to be satisfied by all nonzero complex-valued sequences $\bar{\psi} \in \bar{\mathcal{H}}_1$. It remains to be shown that condition (ii) is also necessary, and that the two conditions are jointly sufficient. In the remainder of our discussion, we shall suppose that condition (i) holds, and establish that condition (ii) is then both necessary and sufficient.

For any complex vector n_g -vector μ , let us define⁶⁰

$$Z(\mu) \equiv \sup_{\bar{\psi} \in \bar{\mathcal{H}}_1} \bar{V}^Q(\bar{\psi}) \quad \text{s.t.} \quad D(0)\bar{\psi}_{t_0} = \mu. \quad (\text{A.21})$$

In the case that $\mu = 0$, the constraint set for this problem is just the subspace $\bar{\mathcal{H}}_2$. It then follows from section (4) that (given condition (i)) $Z(0) = \bar{V}^Q(0) = 0$. We wish to find conditions under which, in addition, $Z(\mu) < 0$ for all $\mu \neq 0$; for this is equivalent to saying that (A.16) is satisfied by all nonzero $\bar{\psi} \in \bar{\mathcal{H}}_1$.

The LQ optimization problem (A.21) is of the same form as the one treated in part (4), except for the different value for the vector of constants μ . The conditions for concavity of the problem are the same, and hence are satisfied under condition (i). It follows that $Z(\mu)$ is finite, and that the maximizing sequence $\bar{\psi}(\mu)$ is given by the solution to the first-order conditions. The first-order conditions for this problem are also independent of the value of μ , and in fact they are again given by (3.4) for each $t \geq t_0$, with the following modifications: we now omit the conditional expectation (since the problem is deterministic); $\hat{\psi}_t$ replaces \hat{y}_t in the definition of the vector z_t ;

⁶⁰It is easily shown that the set of sequences $\bar{\psi} \in \bar{\mathcal{H}}_1$ consistent with any given initial value μ is non-empty. If there is no upper bound on the value of \bar{V}^Q on this set, the value of $Z(\mu)$ is defined to be $+\infty$.

and $x_t = 0$ for all $t \geq t_0$. Under condition (i), we again have a unique solution to the first-order conditions satisfying the bound (A.11), for a given initial Lagrange multiplier $\hat{\varphi}_{t_0-1}$. And once again the solution is given by the iterative application of (3.7), with $\hat{\psi}_t$ replacing \hat{y}_t , setting $\hat{\xi}_t = 0$ each period, and starting from the initial value $\hat{\psi}_{t_0-1} = 0$ and the arbitrary initial value for $\hat{\varphi}_{t_0-1}$. Note that the methods used previously apply equally in the case that the initial vector $\hat{\varphi}_{t_0-1}$ is complex-valued, in which case the solutions for the endogenous variables are also complex-valued; this will occur if and only if μ is complex-valued in (A.21).

Thus the maximizing sequence $\hat{\psi}(\mu)$ (which can be rescaled to give $\bar{\psi}(\mu)$) is given by

$$\hat{\psi}_t(\mu) = ST^{t+1-t_0} \begin{bmatrix} I \\ 0 \end{bmatrix} \hat{\varphi}(\mu)$$

for all $t \geq t_0$. Here S is the selection matrix defined in the statement of the lemma, T is the matrix in (3.7), and $\hat{\varphi}(\mu)$ is the value of the multiplier $\hat{\varphi}_{t_0-1}$ associated with the constraint indexed by μ in the problem (A.21), which is to say, it is the function implicitly defined by

$$d(\hat{\varphi}, 0, 0) = \mu,$$

where $d(\cdot)$ is the same function as in (3.8). Substituting this solution for $\hat{\psi}(\mu)$ into (A.16), we obtain

$$\begin{aligned} Z(\mu) &= \bar{V}^Q(\bar{\psi}(\mu)) \\ &= \frac{1}{4} \hat{\varphi}(\mu)^\dagger J_{11} \hat{\varphi}(\mu), \end{aligned}$$

where J_{11} is the upper left block of the matrix J defined in (A.10). Since the range of $\hat{\varphi}(\mu)$ is the entire space \mathbf{C}^{n_g} , and $\varphi(\mu) = 0$ if and only if $\mu = 0$, we observe that $Z(\mu) < 0$ for all (complex-valued) $\mu \neq 0$ if and only if the real-valued $n_g \times n_g$ matrix J_{11} is negative definite, which is condition (ii) of the lemma.

Thus conditions (i) and (ii) are both necessary and sufficient for $Z(\mu)$ to be non-positive for all μ and negative for all $\mu \neq 0$, and hence for (A.16) to be satisfied by all nonzero $\bar{\psi} \in \bar{\mathcal{H}}_1$. This establishes the lemma.

EXAMPLE: Suppose that y_t has two elements, that the objective of policy is to maximize

$$E_{t_0} \sum_{t=t_0}^{\infty} \beta^{t-t_0} \tilde{y}_t' A \tilde{y}_t, \tag{A.22}$$

where A is a symmetric 2×2 matrix, and that the only constraint on what policy can achieve is a single, forward-looking constraint

$$E_t[\delta\tilde{y}_{1t} - \tilde{y}_{1,t+1}] = 0 \quad (\text{A.23})$$

for all $t \geq t_0$, where $\delta < \beta^{-1/2}$. There are no exogenous disturbances, but the expectations appear because we wish to consider the possibility of (arbitrarily) randomized policies. We assume an initial pre-commitment of the form

$$\tilde{y}_{1,t_0} = 0, \quad (\text{A.24})$$

which can be shown to be self-consistent, insofar as the optimal policy (when one exists) under this constraint involves $\tilde{y}_{1t} = 0$ for all t .

In the case that policy is restricted to be deterministic, the constraint completely determines the path of $\{\tilde{y}_{1t}\}$; the only (perfect foresight) sequence consistent with the initial pre-commitment and the forward-looking constraint is the one in which $\tilde{y}_{1t} = 0$ for all $t \geq t_0$. The problem then reduces to the choice of a sequence $\{\tilde{y}_{2t}\}$, constrained only by the bound (3.2), so as to maximize the objective. This is obviously a concave problem if and only if $\tilde{y}'A\tilde{y}$ is a concave function of \tilde{y}_2 when we set $\tilde{y}_1 = 0$. This in turn is true if and only if $A_{22} < 0$; the other elements of A are irrelevant.

If instead we allow random policies, the condition just derived is no longer sufficient for concavity (though still necessary). One easily sees that the problem is concave if and only if A is a negative definite matrix. This is obviously a sufficient condition (as it implies that (A.22) is concave for arbitrary sequences). To show that it is also necessary, suppose instead that it is not true. Then there exists a vector $v \neq 0$ such that $v'Av \geq 0$. The process $\{\tilde{y}_t\}$ generated by the law of motion

$$\tilde{y}_t = \delta\tilde{y}_{t-1} + v\epsilon_t$$

starting from the initial condition $\tilde{y}_{t_0} = 0$, where $\{\epsilon_t\}$ is a (scalar-valued) martingale-difference sequence, satisfies (3.2) and the constraints (A.23)–(A.24), but implies a non-negative value for (A.22). Hence the problem is concave if and only if A is a negative-definite matrix. This requires that $A_{22} < 0$, but involves the other elements of the matrix as well; in particular, it requires in addition that the determinant of A be positive.

Let us examine how these results compare with the conditions stated in Lemma 2. In this example,

$$M(L, L^{-1}) = \begin{bmatrix} 0 & \beta^{-1/2}L^{-1}(1 - \beta^{1/2}\delta L) & 0 \\ \beta^{-1/2}L(1 - \beta^{1/2}\delta L^{-1}) & A_{11} & A_{12} \\ 0 & A_{21} & A_{22} \end{bmatrix},$$

so that

$$\det \bar{M}(\theta) = -\beta^{-1}(1 - 2\beta^{1/2}\delta \cos \theta + \beta\delta^2)A_{22}. \quad (\text{A.25})$$

Because $n_F + n_g = 1$ and $n = 3$, condition (i) of the lemma involves only the principal minor of order $p = 3$, which is the determinant of the entire matrix $\bar{M}(\theta)$, and this is required to be positive for all θ . Since the expression in parentheses in (A.25) is positive for all θ , the determinant has the sign of $-A_{22}$, and condition (i) is satisfied if and only if $A_{22} < 0$. As just shown, this is necessary and sufficient for the concavity of the problem stated above in the case that only deterministic policies are considered, but it is not sufficient in the case that randomized policies are allowed.

The first-order conditions for the above optimization problem are

$$A_{11}\tilde{y}_{1t} + A_{12}\tilde{y}_{2t} - \delta\varphi_t + \beta^{-1}\varphi_{t-1} = 0,$$

$$A_{21}\tilde{y}_{1t} + A_{22}\tilde{y}_{2t} = 0$$

for all $t \geq t_0$. The unique solution consistent with initial condition $\tilde{y}_{t_0-1} = 0$ (and a given value for φ_{t_0-1}) and satisfying the bound (A.11) is given by⁶¹

$$\tilde{y}_{1t} = -\frac{A_{22}}{|A|}(\beta^{-1} - \delta^2)\delta^{t-t_0}\varphi_{t_0-1},$$

$$\tilde{y}_{2t} = \frac{A_{21}}{|A|}(\beta^{-1} - \delta^2)\delta^{t-t_0}\varphi_{t_0-1}$$

for all $t \geq t_0$. It follows that the upper left element of the matrix defined in (A.10) is equal to

$$J_{11} = (\beta^{-1} - \delta^2)\frac{A_{22}}{|A|},$$

and (given that $A_{22} < 0$ as a result of condition (i)) condition (ii) holds if and only if $|A| > 0$. This together with the condition that $A_{22} < 0$ implies that A is negative

⁶¹It is obvious that the first-order conditions have no determinate solution unless $|A| \neq 0$. We assume this in writing the solution for \tilde{y}_t here; the condition is in fact implied by the algebraic expression for condition (ii) that we derive.

definite. Thus conditions (i) and (ii) of Lemma 2 are equivalent to the condition that A be negative definite, which as shown above is indeed a necessary and sufficient condition for concavity of the problem when one allows for policy randomization.

A.3 Computing φ^* and the Invariant Measure μ

Given that the equilibrium dynamics under optimal policy are given by a law of motion of the form (3.9), a specification $\tilde{\varphi}_{t_0-1} = \varphi^*(\mathbf{y}_{t_0-1})$ of the initial pre-commitment is *self-consistent* if the function $\varphi^*(\cdot)$ is such that

$$[I \ 0] Z(\varphi^*(\mathbf{y}_{t-1}), \tilde{y}_{t-1}, \xi_t, \xi_{t-1}) = \varphi^*(\psi(\xi_t, [0 \ I] Z(\varphi^*(\mathbf{y}_{t-1}), \tilde{y}_{t-1}, \xi_t, \xi_{t-1}), \mathbf{y}_{t-1})) \quad (\text{A.26})$$

for all possible $(\mathbf{y}_{t-1}, \xi_t)$, where

$$Z(\tilde{\varphi}_{t-1}, \tilde{y}_{t-1}, \xi_t, \xi_{t-1}) \equiv \tilde{T} \begin{bmatrix} \tilde{\varphi}_{t-1} \\ \tilde{y}_{t-1} \end{bmatrix} + \Psi(L) \xi_t$$

and $\psi(\cdot)$ is the function introduced in (2.8) that defines the evolution of the extended state vector. In this definition, \tilde{T} is the matrix and $\Psi(L)$ the matrix polynomial in (3.9).

An example of a specification that is self-consistent in this sense would be the function

$$\varphi^*(\mathbf{y}) \equiv [I \ 0 \ 0] \mathbf{y}, \quad (\text{A.27})$$

where the identities that define the extended state vector are given by

$$\psi(\xi_t, \tilde{y}_t, \mathbf{y}_{t-1}) \equiv \begin{bmatrix} [I \ 0] Z(\varphi^*(\mathbf{y}_{t-1}), \tilde{y}_{t-1}, \xi_t, \xi_{t-1}) \\ \tilde{y}_t \\ \xi_t \end{bmatrix}. \quad (\text{A.28})$$

Equation (A.27) identifies the function $\varphi^*(\cdot)$ referred to in equation (4.5) in the text.

We turn to a discussion of the invariant distribution μ over possible initial conditions, that is required in order to compute the proposed welfare criterion (4.10). Because $\bar{E}_r(\cdot)$ is a quadratic function, we only need to compute the unconditional mean and variance-covariance matrix of \mathbf{y}_t^{cyc} . Let the dynamics of the exogenous disturbances be given by a law of motion of the form

$$\xi_t = \Theta \xi_{t-1} + \Lambda \epsilon_t,$$

where Θ and Λ are matrices of constant coefficients, and $\{\epsilon_t\}$ is an i.i.d. vector of innovations, with mean zero and a variance-covariance matrix given by the identity matrix. Then under definition (A.28) of the extended state vector, and an initial pre-commitment implying an initial lagged Lagrange multiplier given by the function defined in (A.27), the evolution of the extended state vector under optimal policy is given by the law of motion

$$\mathbf{y}_t = \Sigma \mathbf{y}_{t-1} + \Xi \epsilon_t \quad (\text{A.29})$$

for all $t \geq t_0$, starting from the initial condition \mathbf{y}_{t_0-1} , where

$$\Sigma \equiv \begin{bmatrix} \tilde{T} & \Psi_0 \Theta + \Psi_1 \\ 0 & \Theta \end{bmatrix}, \quad \Xi \equiv \begin{bmatrix} \Psi_0 \Lambda \\ \Lambda \end{bmatrix}.$$

(Here we use the notation $\Psi(L) \equiv \Psi_0 + \Psi_1 L$.) We are interested in the invariant distribution for the cyclical component \mathbf{y}_t^{cyc} of the extended state vector under the law of motion (A.29).

Under this law of motion, the trend component of the extended state vector is given by $\mathbf{y}_t^{tr} = P \mathbf{y}_t$, where P is the matrix⁶²

$$P \equiv \lim_{j \rightarrow \infty} \Sigma^j,$$

and the cyclical component is correspondingly given by $\mathbf{y}_t^{cyc} = [I - P] \mathbf{y}_t$. It then follows that the law of motion for the cyclical component is

$$\mathbf{y}_t^{cyc} = \Sigma \mathbf{y}_{t-1}^{cyc} + [I - P] \Xi \epsilon_t. \quad (\text{A.30})$$

We note furthermore that (A.30) describes a jointly stationary set of processes, since the matrix Σ is stable on the subspace of vectors \mathbf{z} of the form $\mathbf{z} = [I - P] \mathbf{y}$ for some vector \mathbf{y} .⁶³ Hence there exist a well-defined vector of unconditional means and an unconditional variance-covariance matrix \mathbf{V} . The unconditional means are all zero, while the matrix V is given by the solution to the equation system

$$\mathbf{V} = \Sigma \mathbf{V} \Sigma' + [I - P] \Xi \Xi' [I - P'].$$

This determines the properties of the invariant distribution μ that are required in order to compute the welfare criterion (4.10).

⁶²Under the assumption (made in the text) that the extended state vector is difference-stationary, this limit must be well-defined.

⁶³When restricted to this subspace, the operator Σ has eigenvalues consisting of those eigenvalues of T and Θ that are less than one in modulus.

References

- [1] Altissimo, Filippo, Vasco Curdia, and Diego Rodriguez Palenzuela (2005), “Linear-Quadratic Approximation to Optimal Policy: An Algorithm and Two Applications,” paper presented at the conference “Quantitative Analysis of Stabilization Policies,” Columbia University, September.
- [2] Amman, Hans M., and David A. Kendrick (1999), “The DUAL/DUALPC Software for Optimal Control Models: User’s Guide,” Center for Applied Research in Economics, University of Texas.
- [3] Backus, David, and John Driffill (1986), “The Consistency of Optimal Policy in Stochastic Rational Expectations Models,” CEPR Discussion Paper No. 124.
- [4] Barro, Robert J. (1979), “On the Determination of Public Debt,” *Journal of Political Economy* 87: 940-971.
- [5] Benigno, Gianluca, and Pierpaolo Benigno (2006), “Designing Targeting Rules for International Monetary Policy Cooperation,” *Journal of Monetary Economics*, 53(3), pages 473-506.
- [6] Benigno, Gianluca and Bianca De Paoli (2005), “Optimal Monetary and Fiscal Policy for a Small Open Economy,” unpublished manuscript, London School of Economics.
- [7] Benigno, Pierpaolo, and Michael Woodford (2003), “Optimal Monetary and Fiscal Policy: A Linear-Quadratic Approach,” in M. Gertler and K. Rogoff, eds., *NBER Macroeconomics Annual 2003*, Cambridge, MA: MIT Press.
- [8] Benigno, Pierpaolo, and Michael Woodford (2005a), “Inflation Stabilization And Welfare: The Case Of A Distorted Steady State,” *Journal of the European Economic Association*, vol. 3(6), pages 1185-1236, December.
- [9] Benigno, Pierpaolo, and Michael Woodford (2005b), “Optimal Stabilization Policy when Wages and Prices are Sticky: The Case of a Distorted Steady State,” in J. Faust, A. Orphanides, and D. Reifschneider (eds.) *Models and Monetary Policy*, Board of Governors of the Federal Reserve System: Washington, pp. 127-180.

- [10] Benigno, Pierpaolo, and Michael Woodford (2006), “Optimal Taxation in an RBC Model: A Linear Quadratic Approach,” *Journal of Economic Dynamics and Control*, 30(9-10): 1445-1489.
- [11] Bertsekas, Dimitri P. (1976), *Dynamic Programming and Stochastic Control*, New York: Academic Press.
- [12] Blake, Andrew P. (2001), “A ‘Timeless Perspective’ on Optimality in Forward-Looking Rational Expectations Models,” NIESR Discussion Papers 188, National Institute of Economic and Social Research.
- [13] Chow, Gregory C. (1975), *Analysis and Control of Dynamic Economic Systems* John Wiley & Sons, New York.
- [14] Clarida, Richard, Jordi Gali and Mark Gertler (1999), “The Science of Monetary Policy: A New Keynesian Perspective,” *Journal of Economic Literature* 37: 1661-1707.
- [15] De Paoli, Bianca (2004), “Monetary Policy and Welfare in a Small Open Economy,” unpublished manuscript, London School of Economics.
- [16] Erceg, Christopher J., Dale W. Henderson, and Andrew T. Levin (2000), “Optimal Monetary Policy with Staggered Wage and Price Contracts,” *Journal of Monetary Economics* 46: 281-313.
- [17] Ferrero, Andrea (2005), “Fiscal and Monetary Rules for a Currency Union,” unpublished manuscript, New York University.
- [18] Fleming, Wendell H. (1971), “Stochastic Control for Small Noise Intensities,” *SIAM Journal of Control* 9: 473-517.
- [19] Gerali, Andrea and Francesco Lippi (2005), “Solving Dynamic Linear-Quadratic Problems with Forward-Looking Variables and Imperfect Information using Matlab,” unpublished, Bank of Italy, November.
- [20] Giannoni, Marc, and Michael Woodford (2002), “Optimal Interest-Rate Rules: I. General Theory,” NBER Working Paper no. 9419, December.

- [21] Hansen, Lars P., and Thomas J. Sargent (2004), *Recursive Models of Dynamic Linear Economies*, unpublished, University of Chicago, August 2004.
- [22] Jensen, Christian, and Bennet C. McCallum (2002), “The Non-Optimality of Proposed Monetary Policy Rules Under Timeless-Perspective Commitment,” NBER Working Paper No. 8882.
- [23] Jin, Hehui, and Kenneth L. Judd (2002), “Perturbation Methods for General Dynamic Stochastic Models,” unpublished, Stanford University.
- [24] Judd, Kenneth L. (1999), *Numerical Methods In Economics*, Cambridge, Mass.: MIT Press.
- [25] Kalchbrenner, J.H., and Peter A. Tinsley (1975), “On the Use of Optimal Control in the Design of Monetary Policy,” Special Studies Paper No. 76, Federal Reserve Board.
- [26] Kendrick, David A. (1981), *Stochastic Control for Economic Models*, New York: McGraw-Hill.
- [27] Kendrick, David A. (2005), “Stochastic Control for Economic Models: Past, Present and the Paths Ahead,” *Journal of Economic Dynamics and Control* 29: 3-30.
- [28] Khan, Aubhik, Robert G. King, and Alexander L. Wolman (2003), “Optimal Monetary Policy,” *Review of Economic Studies* 70(4): 825-860.
- [29] Kim, Jinill, and Sunghyun Kim (2003), “Spurious Welfare Reversal in International Business Cycle Models”, *Journal of International Economics*, Volume 60, Issue 2, Pages 471-500 .
- [30] Kim, Jinill, and Sunghyun Kim (2006), “Two Pitfalls of Linearization Methods,” unpublished, Federal Reserve Board, April.
- [31] Kim, Jinill, Sunghyun Kim, Ernst Schaumburg, and Christopher A. Sims (2003), “Calculating and Using Second Order Accurate Solutions of Discrete Time Dynamic Equilibrium Models,” unpublished manuscript, University of Virginia, June.

- [32] King, Robert G., and Alexander L. Wolman (1999), “What Should the Monetary Authority Do When Prices are Sticky?” in J.B. Taylor, ed., *Monetary Policy Rules*, Chicago: University of Chicago Press.
- [33] Kydland, Finn E., and Edward C. Prescott (1982), “Time to Build and Aggregate Fluctuations,” *Econometrica*, vol. 50(6), pages 1345-70, November.
- [34] Kwakernaak, Huibert, and Raphael Sivan (1972), *Linear Optimal Control Systems*, New York: Wiley.
- [35] LeRoy, Stephen F., and Roger N. Waud (1977), “Applications of the Kalman Filter in Short-run Monetary Control,” *International Economic Review* 18, 195–207.
- [36] Levine, Paul, Joseph Pearlman, and Richard Piere, “Linear-Quadratic Approximation, Efficiency, and Target-Implementability,” working paper, University of Surrey, June 2006.
- [37] Magill, Michael J.P. (1977), “A Local Analysis of N-Sector Capital Accumulation under Uncertainty,” *Journal of Economic Theory* 15: 211-218.
- [38] Sargent, Thomas J. (1987), *Macroeconomic Theory*, 2d edition, New York: Academic Press.
- [39] Sauer, Stephan (2006), “Discretion Rather than Rules? When is Discretionary Policy-Making Better Than the Timeless Perspective?,” unpublished manuscript, Ludwig-Maximilians-University Munich, July.
- [40] Schmitt-Grohé, Stephanie, and Martin Uribe (2004a), “Solving Dynamic General Equilibrium Models Using a Second-Order Approximation to the Policy Function,” *Journal of Economic Dynamics and Control*, vol. 28, pp. 755-775.
- [41] Schmitt-Grohé, Stephanie, and Martin Uribe (2004b), “Optimal Fiscal and Monetary Policy under Sticky Prices,” *Journal of Economic Theory* vol. 114, pp. 198-230.
- [42] Schmitt-Grohé, Stephanie, and Martin Uribe (2004c), “Optimal Simple and Implementable Monetary and Fiscal Rules,” NBER Working Paper no. 10253, January.

- [43] Söderlind, Paul (1999), “Solution and estimation of RE macromodels with optimal policy,” *European Economic Review*, vol. 43(4-6), pages 813-823, April.
- [44] Sutherland, Alan (2002), “A Simple Second-Order Solution Method for Dynamic General Equilibrium Models,” CEPR discussion paper no. 3554, July.
- [45] Telser, Lester G., and Robert L. Graves (1972), *Functional Analysis in Mathematical Economics: Optimization over Infinite Horizons*, Chicago: University of Chicago Press.
- [46] Woodford, Michael (2002), “Inflation Stabilization and Welfare,” *Contributions to Macroeconomics* 2(1), Article 1. [www.bepress.com]
- [47] Woodford, Michael (2003), *Interest and Prices: Foundations of a Theory of Monetary Policy*, Princeton: Princeton University Press.